

# Lamps with glass wedge bases W16W

Original spare part



## The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

|   |                |
|---|----------------|
| Order reference                             | 921            |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |         |
|-----------------------|---------|
| Power input           | 19.4 W  |
| Nominal voltage       | 12.0 V  |
| Nominal wattage       | 16.00 W |
| Test voltage          | 13.5 V  |
| Power input tolerance | ±10 %   |

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 310 lm |
| Luminous flux tolerance | ±20 %  |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 16.0 mm |
| Product weight | 1.84 g  |
| Length         | 38.0 mm |

Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 400 h  |
| Lifespan Tc | 1000 h |

Additional product data

|                             |           |
|-----------------------------|-----------|
| Base (standard designation) | W2.1x9.5d |
|-----------------------------|-----------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|              |      |
|--------------|------|
| ECE category | W16W |
|--------------|------|

Country specific categorizations

|                 |     |
|-----------------|-----|
| Order reference | 921 |
|-----------------|-----|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |   |
|---|---|
| Date of Declaration   | 05-03-2024  |
| Primary Article Identifier  | 4008321018571   4008321100948   4006584393763   4008321298027   4008321349507   4052899135826   4052899250550   4055462114709   4052899406933   4052899444676   4062172374972   4062172374941   4055462195562   4052899478398   4062172396462   4062172396486 |
| Candidate List Substance 1  | No declarable substances contained  |
| Declaration No. in SCIP database                                      | In work   |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321100948 | OSRA921    | -       | -          | -      |
| 4008321100955 | OSRA921    | -       | -          | -      |
| 4008321100948 | OSRA921    | -       | -          | -      |

Logistical Data

| Product code  | Product description        | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|----------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4008321100948 | ORIGINAL - WEDGE BASE W16W | Unpacked<br>1                | - x - x -                            |                      |              |
| 4008321100955 | ORIGINAL - WEDGE BASE W16W | Folding carton box<br>10     | - x - x -                            |                      |              |
| 4008321100962 | ORIGINAL - WEDGE BASE W16W | Shipping carton box<br>50    | 205 mm x 144 mm x 64 mm              | 1.89 dm <sup>3</sup> | 230.00 g     |
| 4008321349507 | ORIGINAL - WEDGE BASE W16W | Blister<br>2                 | - x - x -                            |                      | 13.00 g      |

Product datasheet

|               |                               |                           |                            |                      |          |
|---------------|-------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4008321349514 | ORIGINAL - WEDGE<br>BASE W16W | Shipping carton box<br>20 | 189 mm x 80 mm x<br>103 mm | 1.56 dm <sup>3</sup> | 134.00 g |
|---------------|-------------------------------|---------------------------|----------------------------|----------------------|----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

