

# TRUCKSTAR PRO H7

Brightest OSRAM truck halogen light



#### Up to 2.5 times longer lifetime

Reduced downtime and fleet costs compared to standard lamps



#### Up to 120% more brightness

More light allows to see farther and therefore react sooner compared to the minimum legal standard



#### Very high vibration resistance

Suitable for heavy duty applications



#### The most powerful halogen and signal truck lamps from OSRAM

Discover TRUCKSTAR PRO - the brightest halogen and signal truck lamps from OSRAM with excellent value for money. With extremely long life, up to 120% more light than standard lamps and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and up to 2.5 times longer lifetime compared to standard lamps, the lamps improve your safety while driving on the road.

Technical data

Product information

Order reference	64215TSP
Application (Category and Product specific)	Halogen headlight lamp

Electrical data

Power input	75 W <sup>1)</sup>
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±10 %

Dimensions & weight



Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

Lifespan

Lifespan B3	500 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H7
--------------	----

Country specific categorizations

Order reference	64215TSP
-----------------	----------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4008321785091   4008321785114   4008321855954   4008321855978   4008321855930   4052899413818   4052899414013   4052899413917   4052899476042   4062172150521   4062172150453   4062172387637
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321785114	TRUCKSTAR PRO H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm <sup>3</sup>	16.00 g
4008321785121	TRUCKSTAR PRO H7	Bundle 10	69 mm x 58 mm x 172 mm	0.69 dm <sup>3</sup>	155.00 g
4008321785138	TRUCKSTAR PRO H7	Shipping carton box 100	356 mm x 129 mm x 186 mm	8.54 dm <sup>3</sup>	1727.00 g
4052899476042	TRUCKSTAR PRO H7	Hard Cover Box 2	- x - x -		122.00 g
4062172060295	TRUCKSTAR PRO H7	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	670.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
------

	360 Degree Image TRUCKSTAR PRO H7 64215TSP
---	---

**Legal advice**

Light output compared to the minimum ECE R112 requirements

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

