

ORIGINAL LINE H7

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Global order reference	64215
------------------------	-------

Electrical Data


Power input	75 W ¹⁾
Nominal voltage	24 V
Nominal wattage	70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1750 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions



Lamp base	PX26d
Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

Lifetime Data

Lifespan B3	220 hr
Lifespan Tc	500 hr

Product datasheet

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H7
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172014465 4050300386522 4052899411845 4062172130967 4052899589858 4050300493077 4052899011236 4050300459424 4050300629605 4062172390361 4050300925882
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300386522	OSRA64215	-	-	-

Logistical Data




Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300386522	ORIGINAL LINE H7	FS ECO 1	34 mm x 34 mm x 58 mm	0.01 dm ³	16.00 g
4050300386546	ORIGINAL LINE H7	Shipping carton box 100	356 mm x 186 mm x 129 mm	8.54 dm ³	1751.00 g
4050300925882	ORIGINAL LINE H7	Blister 1	- x - x -	0.01 dm ³	
4008321141972	ORIGINAL LINE H7	Shipping carton box 10	279 mm x 115 mm x 145 mm	4.65 dm ³	330.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File

Product datasheet

	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates HAL
	ref_pim_ams_p_product360degreeimages ORIGINAL TRUCK H7 64215

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM