

ORIGINAL LINE H2

OEM quality for trucks



The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---------------------------------------------	------------------------

General Product Information

Global order reference	64175
------------------------	-------

Electrical Data

Power input	84 W ¹⁾
Nominal voltage	24.0 V
Nominal wattage	70 W
Test voltage	28.0 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	2150 lm
Luminous flux tolerance	±15 %
Color temperature	3200 K

Physical Attributes & Dimensions

Lamp base	X511
Length	31.0 mm
Diameter	9 mm
Product weight	2.35 g

Lifetime Data

Lifespan B3	90 hr
Lifespan Tc	250 hr

Capabilities

Technology	HAL
------------	-----

Certificates & standards

ECE category	H2
--------------	----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	26-06-2024

Product datasheet

Primary article identifier	4050300218960
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300218984	OSRA64175	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300218984	ORIGINAL LINE H2		- x - x -	4.80 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM