

# ORIGINAL LINE H7

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64215
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	75 W <sup>1)</sup>
Nominal voltage	24.0 V
Nominal wattage	70.00 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	1750 lm
Luminous flux tolerance	±10 %

### Dimensions & weight



Length	59.0 mm
Diameter	12.0 mm
Product weight	12.50 g

### Lifespan

Lifespan B3	220 h
Lifespan Tc	500 h

### Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H7
--------------	----

### Country specific categorizations

Order reference	64215
-----------------	-------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	19-01-2022
Primary Article Identifier	4050300493077   4050300459424   4050300386522   4050300925882   4050300629605   4052899011236   4052899411845   4052899475922   4052899589858   4062172014465   4062172130967
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300386522	OSRA64215	-	-	-
4050300386539	OSRA64215	-	-	-
4050300386522	OSRA64215	-	-	-

### Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300386522	ORIGINAL LINE H7	Folding carton box 1	34 mm x 34 mm x 58 mm	0.07 dm <sup>3</sup>	16.00 g
4050300386539	ORIGINAL LINE H7	Bundle 10	66 mm x 58 mm x 174 mm	0.67 dm <sup>3</sup>	155.00 g
4050300386546	ORIGINAL LINE H7	Shipping carton box 100	356 mm x 129 mm x 186 mm	8.54 dm <sup>3</sup>	1727.00 g
4050300925882	ORIGINAL LINE H7	Blister 1	135 mm x 95 mm x 35 mm	0.45 dm <sup>3</sup>	24.00 g
4008321141972	ORIGINAL LINE H7	Shipping carton box 10	279 mm x 134 mm x 128 mm	4.79 dm <sup>3</sup>	388.67 g

## Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Download Data

File	
	360 Degree Image ORIGINAL TRUCK H7 64215

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM