

# ORIGINAL LINE H7

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



# Product datasheet

## Technical data

### Product information

|   |                        |
|---|------------------------|
| Application (Category and Product specific) | Halogen headlight lamp |
|---|------------------------|

### General Product Information

|                        |       |
|------------------------|-------|
| Global order reference | 64215 |
|------------------------|-------|

### Electrical Data

|                 |                    |
|-----------------|--------------------|
| Power input     | 75 W <sup>1)</sup> |
| Nominal voltage | 24.0 V             |
| Nominal wattage | 70 W               |
| Test voltage    | 28.0 V             |

<sup>1)</sup> Maximum

### Photometric Data

|                         |         |
|-------------------------|---------|
| Nominal luminous flux   | 1750 lm |
| Luminous flux tolerance | ±10 %   |

### Physical Attributes & Dimensions

|                |         |
|----------------|---------|
| Lamp base      | PX26d   |
| Length         | 59.0 mm |
| Diameter       | 12.0 mm |
| Product weight | 12.50 g |

### Lifetime Data

|             |        |
|-------------|--------|
| Lifespan B3 | 220 hr |
| Lifespan Tc | 500 hr |

### Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

### Certificates & standards

|              |    |
|--------------|----|
| ECE category | H7 |
|--------------|----|

### Environmental & Regulatory Information

|   |            |
|---|------------|
| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |            |
| Date of declaration   | 09-07-2024 |

## Product datasheet


|   |   |
|---|---|
| <b>Primary article identifier</b>       | 4062172014465   4050300386522   4052899411845<br>  4062172130967   4052899589858  <br>4050300493077   4052899011236   4050300459424<br>  4050300629605   4062172390361  <br>4050300925882 |
| <b>Candidate list substance 1</b>       | No declarable substances contained  |
| <b>Declaration no. in SCIP database</b> | In work   |

## Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|---|----------------------|--------------|
| 4008321141972 | ORIGINAL LINE H7    |                                 | - x - x -                               | 4.65 dm <sup>3</sup> |              |
| 4050300386546 | ORIGINAL LINE H7    |                                 | - x - x -                               | 8.54 dm <sup>3</sup> |              |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

| File   |
|--|
|  ref_pim_amsproduct360degreeimages<br>ORIGINAL TRUCK H7 64215 |

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM