
# **OSRAM**

# TRUCKSTAR PRO P21/5W

Brightest OSRAM truck light





Excellent brightness

More light allows to see farther and therefore react sooner



More than double the service life Reduced downtime and fleet costs compared to standard lamps



**Very high vibration resistance**Suitable for heavy duty applications



#### The most powerful halogen truck light from OSRAM

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.

## Product datasheet

#### Technical data

#### **Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

#### **General Product Information**

Global order reference	7537TSP
Global order reference	733/13F


#### **Electrical Data**

Power input	28 / 10 W
Nominal voltage	24.0 V
Nominal wattage	21/5 W
Power input tolerance	±6 / ±10 %
Test voltage	28.0 V

#### **Photometric Data**

Nominal luminous flux	440/40 lm
Luminous flux tolerance	±15 / ±20 %

### **Physical Attributes & Dimensions**



Lamp base	BAY15d
Length	52.5 mm
Diameter	25.0 mm
Diameter	25.0 mm
Product weight	10.00 g

#### **Lifetime Data**

Lifespan B3	100 / 1000 hr
Lifespan Tc	200 / 2000 hr

#### Product datasheet

#### **Capabilities**

#### Certificates & standards

ECE category	P21/5W
--------------	--------

#### **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Primary article identifier	4008321798138   4062172158480   4052899423695   4062172121132	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	No declarable substances contained	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321798138	TRUCKSTAR PRO P21/5W	Unpacked 1	25 mm x 25 mm x 52 mm	0.03 dm <sup>3</sup>	10.00 g
4008321798152	TRUCKSTAR PRO P21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	660.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Download Data

File



User instruction
GPRS\_Safety symbols instructions

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















## Product datasheet

# **OSRAM**