

TRUCKSTAR PRO

Brightest OSRAM truck light



Excellent brightness

More light allows to see farther and therefore react sooner



More than double the service life

Reduced downtime and fleet costs compared to standard lamps



Very high vibration resistance

Suitable for heavy duty applications



The most powerful halogen truck light from OSRAM

Discover TRUCKSTAR PRO signal lamps - the brightest truck light from OSRAM with excellent value for money. With up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications. Due to their impressive brightness and more than double the service life compared to standard lamps, the lamps improve your safety while driving on the road.

Product family datasheet

Technical data

Product description	Product information		Electrical data				
	Application (Category and Product specific)	Order reference	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage
TRUCKSTAR PRO P21/5W	Auxiliary lamp	7537TSP	28 / 10 W	24.0 V	21/5 W	±6 / ±10 %	28.0 V
TRUCKSTAR PRO W5W	Auxiliary lamp	2845TSP	7 W	24.0 V	5.00 W	±10 %	28.0 V
TRUCKSTAR PRO P21W	Auxiliary lamp	7511TSP	28 W	24.0 V	21.00 W	±6 %	28.0 V
TRUCKSTAR PRO PY21W	Auxiliary lamp	7510TSP	28 W	24.0 V	21.00 W	±6 %	28.0 V
TRUCKSTAR PRO R10W	Auxiliary lamp	5637TSP	12.5 W	24.0 V	10.00 W	±10 %	28.0 V
TRUCKSTAR PRO R5W	Auxiliary lamp	5627TSP	7 W	24.0 V	5.00 W	±10 %	28.0 V
TRUCKSTAR PRO T4W	Auxiliary lamp	3930TSP	5 W	24.0 V	4.00 W	±10 %	28.0 V

Product description	Photometrical data		Dimensions & weight		Lifespan		Additional product data
	Luminous flux	Luminous flux tolerance	Length	Diameter	Lifespan B3	Lifespan Tc	Base (standard designation)
TRUCKSTAR PRO P21/5W	440/40 lm	±15 / ±20 %	52.5 mm	25.0 mm	100 / 1000 h	200 / 2000 h	BAY15d
TRUCKSTAR PRO W5W	50 lm	±20 %	26.8 mm	10.0 mm	1000 h	4000 h	W2.1x9.5d
TRUCKSTAR PRO P21W	460 lm	±15 %	52.5 mm	25.0 mm	250 h	500 h	BA15s
TRUCKSTAR PRO PY21W	250 lm	±20 %	52.5 mm	25.0 mm	250 h	500 h	BAU15s
TRUCKSTAR PRO R10W	125 lm	±20 %	37.5 mm	16.0 mm	1000 h	2000 h	BA15s
TRUCKSTAR PRO R5W	50 lm	±20 %	37.5 mm	16.0 mm	500 h	1000 h	BA15s
TRUCKSTAR PRO T4W	35 lm	±20 %	27.4 mm	9 mm	550 h	1000 h	BA9s

Product description	Capabilities	Certificates & standards
	Technology	ECE category
TRUCKSTAR PRO P21/5W	AUX	P21/5W
TRUCKSTAR PRO W5W	AUX	W5W
TRUCKSTAR PRO P21W	AUX	P21W
TRUCKSTAR PRO PY21W	AUX	PY21W
TRUCKSTAR PRO R10W	AUX	R10W
TRUCKSTAR PRO R5W	AUX	R5W
TRUCKSTAR PRO T4W	AUX	T4W

Product family datasheet

Legal advice

ECE E1 approval

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

