


Product datasheet

## ORIGINAL - GLASS WEDGE BASE

Original spare part



### The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

### General Product Information

Global order reference	2840
------------------------	------


### Electrical Data

Power input	2.6 W
Nominal voltage	24 V
Nominal wattage	2 W
Power input tolerance	±15 %
Test voltage	28.0 V

### Photometric Data

Nominal luminous flux	13 lm
Luminous flux tolerance	±30 %

### Physical Attributes & Dimensions



Lamp base	W2.1x9.5d
Length	26.8 mm
Diameter	10.0 mm
Product weight	1.34 g

### Lifetime Data

Lifespan B3	500 hr
Lifespan Tc	5000 hr

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4050300888910   4008321094698   4052899560451
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

### Country specific information


Product code	METEL code	SEG-No.	STK number	UK Org
4008321094698	OSRA2840	-	4739286	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094698	ORIGINAL - WEDGE BASE 2840	Unpacked 1	10 mm x 10 mm x 26 mm		1.00 g
4008321094711	ORIGINAL - WEDGE BASE 2840	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	152.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

## Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM