

# ORIGINAL - GLASS WEDGE BASE W3W

Original spare part



## The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

Technical data

Product information

|   |                |
|---|----------------|
| Order reference                             | 2841           |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 4 W    |
| Nominal voltage       | 24.0 V |
| Nominal wattage       | 3.00 W |
| Power input tolerance | ±15 %  |
| Test voltage          | 28.0 V |

Photometrical data

|                         |       |
|-------------------------|-------|
| Luminous flux           | 22 lm |
| Luminous flux tolerance | ±30 % |

Dimensions & weight



|                |         |
|----------------|---------|
| Length         | 26.8 mm |
| Diameter       | 10.0 mm |
| Product weight | 1.29 g  |

Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 500 h  |
| Lifespan Tc | 5000 h |

Additional product data

|                             |           |
|-----------------------------|-----------|
| Base (standard designation) | W2.1x9.5d |
|-----------------------------|-----------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|              |     |
|--------------|-----|
| ECE category | W3W |
|--------------|-----|

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 2841 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |   |
|---|---|
| Date of Declaration   | 05-03-2024  |
| Primary Article Identifier  | 4050300926025   4008321163554   4008321094728<br>  4050300888941   4052899407275  <br>4052899560482 |
| Candidate List Substance 1  | No declarable substances contained  |
| Declaration No. in SCIP database                                      | In work   |

Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321094728 | OSRA2841   | -       | 4739288    | -      |
| 4008321094735 | OSRA2841   | -       | 4739288    | -      |
| 4008321094728 | OSRA2841   | -       | 4739288    | -      |

Logistical Data

| Product code  | Product description          | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|------------------------------|---------------------------------|---|----------------------|--------------|
| 4008321094728 | ORIGINAL - WEDGE<br>BASE W3W | Unpacked<br>1                   | - x - x -                               |                      |              |
| 4008321094735 | ORIGINAL - WEDGE<br>BASE W3W | Folding carton box<br>10        | - x - x -                               |                      |              |
| 4008321094742 | ORIGINAL - WEDGE<br>BASE W3W | Shipping carton box<br>50       | 148 mm x 115 mm x<br>55 mm              | 0.94 dm <sup>3</sup> | 150.00 g     |
| 4050300926025 | ORIGINAL - WEDGE<br>BASE W3W | Blister<br>2                    | - x - x -                               |                      |              |
| 4008321140388 | ORIGINAL - WEDGE<br>BASE W3W | Shipping carton box<br>20       | 137 mm x 80 mm x<br>103 mm              | 1.13 dm <sup>3</sup> | 111.00 g     |

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM