

# ORIGINAL - FESTOON -

Original spare part



## The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Technical data

Product information

Order reference	6429
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	10 W
Nominal voltage	24.0 V
Nominal wattage	10.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	105 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	41.0 mm
Diameter	11.0 mm
Product weight	3.14 g

Lifespan

Lifespan B3	300 h
Lifespan Tc	600 h

Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	6429
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321007568   4008321090836
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4008321090836	OSRA6429	8328198	4738011	-
4008321090843	OSRA6429	8328198	4738011	-
4008321090836	OSRA6429	8328198	4738011	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321090836	ORIGINAL FESTOON 6429	Unpacked 1	11 mm x 11 mm x 40 mm	0.00 dm <sup>3</sup>	3.00 g
4008321090843	ORIGINAL FESTOON 6429	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	53.40 g
4008321090850	ORIGINAL FESTOON 6429	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	317.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM