

ORIGINAL - FESTOON -

Original spare part



The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Product datasheet

Technical data

Product information

Order reference	6430
Application (Category and Product specific)	Auxiliary lamp

Electrical data

Power input	3 W
Nominal voltage	24.0 V
Nominal wattage	3.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometrical data

Luminous flux	22 lm ¹⁾
Luminous flux tolerance	±20 %

¹⁾ Minimum

Dimensions & weight



Length	28.0 mm
Diameter	8 mm
Product weight	1.79 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	800 h

Additional product data

Base (standard designation)	SV7-8
-----------------------------	-------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	6430
-----------------	------

Environmental information

Date of Declaration	10-11-2021
Primary Article Identifier	4008321007926 4008321094414
Candidate List Substance 1	No declarable substances contained
CAS No. of substance 1	No CAS
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094414	OSRA6430	-	-	-
4008321094520	OSRA6430	-	-	-
4008321094414	OSRA6430	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094414	ORIGINAL FESTOON 6430	Unpacked 1	- x - x -		
4008321094520	ORIGINAL FESTOON 6430	Folding carton box 10	37 mm x 53 mm x 145 mm	0.28 dm ³	37.00 g
4008321094537	ORIGINAL FESTOON 6430	Shipping carton box 50	205 mm x 64 mm x 144 mm	1.89 dm ³	209.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM