

## DIADEM CHROME

Only amber during operation




### Chrome design

Thanks to cutting edge interference and absorber coating



### Amber when ON

Only amber when operating, otherwise almost invisible



### Homogenous appearance

Reflector has a fully homogenous chrome look



### The design light with chrome look

OSRAM DIADEM CHROME signal lamps have a strikingly exclusive design: their chrome look made possible by a cutting edge interference and absorber coating. The lamps emit amber light only when operational. At other times, they are almost invisible and have no irritating color effects. DIADEM CHROME lamps are ideal for all indicator lights with clear covers.

Product family datasheet

Technical data

Product description	Electrical Data					Photometric Data
	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage	Nominal luminous flux
DIADEM CHROME PY21W	25 W	12 V	21 W	±6 %	13.5 V	280 lm
DIADEM CHROME WY5W <sup>1)</sup>	5 W	12 V	5 W	±10 %	13.5 V	30 lm

Product description	Physical Attributes & Dimensions			Lifetime Data
	Lamp base	Length	Diameter	Lifespan B3
DIADEM CHROME PY21W	BAU15s	52.6 mm	25.0 mm	100 hr
DIADEM CHROME WY5W <sup>1)</sup>	W2.1x9.5d	26.8 mm	10.0 mm	200 hr

Product description	Lifespan Tc	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
			Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
DIADEM CHROME PY21W	250 hr	PY21W	4052899418011   4008321972774   4062172211529   4062172394857   4052899241657   4052899417977	No declarable substances contained	No declarable substances contained
DIADEM CHROME WY5W <sup>1)</sup>	500 hr	WY5W	4052899417939   4052899979925   4008321972750   4052899417915   4062172394758   4052899417953   4052899067790	No declarable substances contained	No declarable substances contained

<sup>1)</sup> Amber lamp for clear indicators

Download Data

File	
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

