

# ORIGINAL - PLASTIC MF BASE -

Original spare part



## The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Technical data

Product information

Order reference	2721MFX
Application (Category and Product specific)	Auxiliary lamp

Electrical data

Power input	1.2 W
Nominal voltage	120 V
Nominal wattage	120 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometrical data

Luminous flux	64 lm
Luminous flux tolerance	±25 %

Dimensions & weight

Length	235 mm
Diameter	500 mm
Product weight	116 g

Colors & materials

Base color	Light blue
------------	------------

Lifespan

Lifespan B3	500 h
Lifespan Tc	2000 h

Product datasheet

Additional product data

Base (standard designation)	BX8.5d
-----------------------------	--------

Capabilities

Thickness of PCB	1.25 mm
Technology	AUX

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	2721MFX
-----------------	---------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321018625   4008321297150
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321297150	OSRA2721MFX	-	-	-
4008321297167	OSRA2721MFX	-	-	-
4008321297150	OSRA2721MFX	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321297150	ORIGINAL - PLASTIC MF BASE 2721MFX	Unpacked 1	- x - x -		
4008321297167	ORIGINAL - PLASTIC MF BASE 2721MFX	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm <sup>3</sup>	23.00 g
4008321297174	ORIGINAL - PLASTIC MF BASE 2721MFX	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	143.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM