

# ORIGINAL - PLASTIC MF BASE -

Original spare part



## The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 2722MF         |
| Application (Category and Product specific) | Auxiliary lamp |

Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 2 W    |
| Nominal voltage       | 120 V  |
| Nominal wattage       | 200 W  |
| Power input tolerance | ±10 %  |
| Test voltage          | 13.5 V |

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 102 lm |
| Luminous flux tolerance | ±25 %  |

Dimensions & weight

|                |        |
|----------------|--------|
| Length         | 235 mm |
| Diameter       | 500 mm |
| Product weight | 120 g  |

Colors & materials

|            |            |
|------------|------------|
| Base color | Lime green |
|------------|------------|

Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 1300 h |
| Lifespan Tc | 4000 h |

Product datasheet

Additional product data

|                             |       |
|-----------------------------|-------|
| Base (standard designation) | B8.5d |
|-----------------------------|-------|

Capabilities

|                  |        |
|------------------|--------|
| Thickness of PCB | 1.6 mm |
| Technology       | AUX    |

Certificates & standards

|              |   |
|--------------|---|
| ECE category | - |
|--------------|---|

Country specific categorizations

|                 |        |
|-----------------|--------|
| Order reference | 2722MF |
|-----------------|--------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                   | 05-03-2024                         |
| Primary Article Identifier                                            | 4008321057839   4008321096791      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | No declarable substances contained |

Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321096791 | OSRA2722MF | -       | 4739312    | -      |
| 4008321096807 | OSRA2722MF | -       | 4739312    | -      |
| 4008321096791 | OSRA2722MF | -       | 4739312    | -      |

Logistical Data

| Product code  | Product description                  | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|--------------------------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4008321096791 | ORIGINAL - PLASTIC<br>MF BASE 2722MF | Unpacked<br>1                   | - x - x -                               |                      |              |
| 4008321096807 | ORIGINAL - PLASTIC<br>MF BASE 2722MF | Folding carton box<br>10        | 46 mm x 29 mm x<br>112 mm               | 0.15 dm <sup>3</sup> | 23.00 g      |
| 4008321096814 | ORIGINAL - PLASTIC<br>MF BASE 2722MF | Shipping carton box<br>50       | 148 mm x 115 mm x<br>55 mm              | 0.94 dm <sup>3</sup> | 145.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM