Product datasheet

ORIGINAL - METAL BASE PY21W

Original spare part

The cost-effective original spare parts for motorcycles

Discover OSRAM´s ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

© 2026, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp

General Product Information

Global order reference	7507
Product remark	Amber lamp for clear indicators

Electrical Data

Power input	25 W
Nominal voltage	12 V
Nominal wattage	21 W
Power input tolerance	±6 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	280 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions



Lamp base	BAU15s
Length	52.6 mm
Diameter	25.0 mm
Product weight	8.00 g

Lifetime Data

Lifespan B3	250 hr
Lifespan Tc	500 hr

© 2026, OSRAM GmbH. All rights reserved.

Additional product data

Product remark	Amber lamp for clear indicators

Capabilities

Technology	AUX

Certificates & standards

ECE category	PY21W

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4008321652911 | 4062172396363 | 4062172051231 | 4062172049962 | 4062172396349 | 4052899531178 | 4008321536013 | 4008321417541 | 4062172188463 | 4008321618603 | 4050300891477 | 4062172072304 | 4062172188425 | 4062172188449 | 4062172200967 | 4050300925462 | 4052899137455
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300891477	OSRA7507	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891477	ORIGINAL - METAL BASE PY21W	Unpacked 1	25 mm x 25 mm x 52 mm	0.18 dm^3	8.00 g
4008321091000	ORIGINAL - METAL BASE PY21W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm^3	547.00 g
4062172396349	ORIGINAL - METAL BASE PY21W	Blister 2	70 mm x 27 mm x 95 mm	0.18 dm^3	28.00 g
4062172396356	ORIGINAL - METAL BASE PY21W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm^3	314.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

© 2026, OSRAM GmbH. All rights reserved.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX
	ref_pim_amsp_product360degreeimages ORIGINAL PY21W 7507

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM

© 2026, OSRAM GmbH. All rights reserved.