

ORIGINAL - METAL BASE

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product family datasheet

Technical data

Product description	Product information		Electrical data				
	Order reference	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage	Power input tolerance	Test voltage
ORIGINAL - METAL BASE H21W	64136	Auxiliary lamp	25 W	120 V	2100 W	±5 %	13.5 V
ORIGINAL - METAL BASE P21/4W	7225	Auxiliary lamp	25 / 5 W	120 V	21/4 W	±6 / ±10 %	13.5 / 13.5 V
ORIGINAL - METAL BASE P21/5W	7528	Auxiliary lamp	25 / 6 W	120 V	21/5 W	±6 / ±10 %	13.5 / 13.5 V
ORIGINAL - METAL BASE P21W	7506	Auxiliary lamp	25 W	120 V	2100 W	±6 %	13.5 V
ORIGINAL - METAL BASE PY21W ¹⁾	7507	Auxiliary lamp	25 W	120 V	2100 W	±6 %	13.5 V
ORIGINAL - METAL BASE R10W	5008	Auxiliary lamp	10 W	120 V	1000 W	±10 %	13.5 V
ORIGINAL - METAL BASE R5W	5007	Auxiliary lamp	5 W	120 V	500 W	±10 %	13.5 V
ORIGINAL - METAL BASE RY10W ¹⁾	5009	Auxiliary lamp	10 W	120 V	1000 W	±10 %	13.5 V
ORIGINAL - METAL BASE T4W	3893	Auxiliary lamp	4 W	120 V	400 W	±10 %	13.5 V
ORIGINAL - METAL BASE 3796	3796	Auxiliary lamp	2 W	120 V	200 W	±8 %	13.5 V
ORIGINAL - METAL BASE 3860	3860	Auxiliary lamp	5 W	120 V	500 W	±15 %	13.5 V
ORIGINAL - METAL BASE 3894	3894	Auxiliary lamp	3 W	120 V	300 W	±10 %	13.5 V

Product description	Photometrical data	Dimensions & weight		Lifespan		Additional product data	Capabilities
	Luminous flux	Length	Diameter	Lifespan B3	Lifespan Tc	Base (standard designation)	Technology
ORIGINAL - METAL BASE H21W	600 lm	389 mm	900 mm	240 h	480 h	BAY9s	AUX
ORIGINAL - METAL BASE P21/4W	440/15 lm	520 mm	2500 mm	180 / 1250 h ²⁾	290 / 4000 h ²⁾	BAZ15d	AUX
ORIGINAL - METAL BASE P21/5W	440/35 lm	525 mm	265 mm	180 / 1250 h ²⁾	290 / 4000 h ²⁾	BAY15d	AUX
ORIGINAL - METAL BASE P21W	460 lm	525 mm	265 mm	250 h	500 h	BA15s	AUX
ORIGINAL - METAL BASE PY21W ¹⁾	280 lm	526 mm	2500 mm	250 h	500 h	BAU15s	AUX
ORIGINAL - METAL BASE R10W	125 lm	375 mm	190 mm	350 h	800 h	BA15s	AUX
ORIGINAL - METAL BASE R5W	50 lm	375 mm	160 mm	350 h	800 h	BA15s	AUX
ORIGINAL - METAL BASE RY10W ¹⁾	75 lm	375 mm	1600 mm	350 h	800 h	BAU15s	AUX
ORIGINAL - METAL BASE T4W	35 lm	274 mm	88 mm	600 h	1200 h	BA9s	AUX
ORIGINAL - METAL BASE 3796	125 lm	239 mm	900 mm	300 h	750 h	BA9s	AUX
ORIGINAL - METAL BASE 3860	50 lm	274 mm	900 mm	400 h	1000 h	BA9s	AUX
ORIGINAL - METAL BASE 3894	22 lm	239 mm	900 mm	1000 h	2000 h	BA9s	AUX

Product family datasheet

	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	ECE category	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ORIGINAL - METAL BASE H21W	H21W	05-03-2024	4050300883335 4008321095190 4008321379320 4008321379382 4062172251631 4062172262316 4052899488427 4062172262347	No declarable substances contained
ORIGINAL - METAL BASE P21/4W	P21/4W	05-03-2024	4008321163974 4050300891514 4050300925547 4008321593009 4008321671875 4052899402119 4062172091749 4062172121033 4062172121378 4062172396226 4062172396202	No declarable substances contained
ORIGINAL - METAL BASE P21/5W	P21/5W	06-03-2024	4050300838069 4008321019219 4008321912565 4050300925523 4008321536037 4008321616135 4008321671837 4052899340480 4052899402171 4052899402195 4052899593497 4062172121293 4062172121279 4062172121255 4062172141376 4052899581463 4008321593948 4062172387392 4062172396448 4062172396424	No declarable substances contained

Product family datasheet

	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	ECE category	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ORIGINAL - METAL BASE P21W	P21W	06-03-2024	4050300838120 4050300894843 4050300925448 4050300609171 4008321417428 4008321417404 4008321618443 4008321618313 4008321618283 4008321618467 4008321671899 4052899040892 4052899402034 4052899402058 4052899581562 4052899593473 4062172044189 4062172048668 4062172051200 4062172016803 4062172188241 4062172188289 4062172285353 4062172285339 4062172188265 4062172396325 4062172396301	No declarable substances contained
ORIGINAL - METAL BASE PY21W ¹⁾	PY21W	05-03-2024	4050300891477 4050300925462 4008321225290 4008321417541 4008321536013 4008321652911 4052899137455 4052899531178 4062172044202 4062172049962 4062172051231 4062172072304 4062172188425 4062172188449 4062172188463 4062172200967 4008321618603 4062172396363 4062172396349	No declarable substances contained

Product family datasheet

	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	ECE category	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ORIGINAL - METAL BASE R10W	R10W	06-03-2024	4050300838212 4008321163707 4050300925608 4008321186751 4008321355263 4052899407176 4052899407992 4008321514899 4062172396066 4062172396042	No declarable substances contained
ORIGINAL - METAL BASE R5W	R5W	06-03-2024	4050300838427 4050300879413 4050300925585 4008321186737 4008321355232 4052899407015 4062172396004 4062172396028	No declarable substances contained
ORIGINAL - METAL BASE RY10W ¹⁾	RY10W	05-03-2024	4008321133410 4008321095442 4052899135857	No declarable substances contained
ORIGINAL - METAL BASE T4W	T4W	06-03-2024	4050300647609 4050300992631 4050300838489 4052899407381 4062172395984 4062172395960	No declarable substances contained
ORIGINAL - METAL BASE 3796	-	05-03-2024	4050300891309 4050300887470	No declarable substances contained
ORIGINAL - METAL BASE 3860	-	05-03-2024	4008321095756	No declarable substances contained
ORIGINAL - METAL BASE 3894	-	05-03-2024	4008321095725	

Product description	Declaration No. in SCIP database
ORIGINAL - METAL BASE H21W	In work
ORIGINAL - METAL BASE P21/4W	In work
ORIGINAL - METAL BASE P21/5W	In work
ORIGINAL - METAL BASE P21W	In work
ORIGINAL - METAL BASE PY21W ¹⁾	In work
ORIGINAL - METAL BASE R10W	In work
ORIGINAL - METAL BASE R5W	In work
ORIGINAL - METAL BASE RY10W ¹⁾	In work
ORIGINAL - METAL BASE T4W	In work
ORIGINAL - METAL BASE 3796	No declarable substances contained

Product family datasheet

Product description	Declaration No. in SCIP database
ORIGINAL - METAL BASE 3860	No declarable substances contained
ORIGINAL - METAL BASE 3894	In work

1) Amber lamp for clear indicators
2) Filament 1

Download Data

File	
	360 Degree Image ORIGINAL P21W 7506
	360 Degree Image ORIGINAL PY21W 7507
	360 Degree Image ORIGINAL R10W 5008
	360 Degree Image ORIGINAL R5W 5007
	360 Degree Image ORIGINAL RY10W 5009

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

