

# ORIGINAL - METAL BASE P21/4W

Original spare part



## The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 7225           |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |               |
|-----------------------|---------------|
| Power input           | 25 / 5 W      |
| Nominal voltage       | 120 V         |
| Nominal wattage       | 21/4 W        |
| Power input tolerance | ±6 / ±10 %    |
| Test voltage          | 13.5 / 13.5 V |

Photometrical data

|                         |             |
|-------------------------|-------------|
| Luminous flux           | 440/15 lm   |
| Luminous flux tolerance | ±15 / ±20 % |

Dimensions & weight



|                |         |
|----------------|---------|
| Length         | 520 mm  |
| Diameter       | 2500 mm |
| Product weight | 1000 g  |

Lifespan

|             |                            |
|-------------|----------------------------|
| Lifespan B3 | 180 / 1250 h <sup>1)</sup> |
| Lifespan Tc | 290 / 4000 h <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | BAZ15d |
|-----------------------------|--------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|              |        |
|--------------|--------|
| ECE category | P21/4W |
|--------------|--------|

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 7225 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                                                                                                                                                               |
|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Date of Declaration                                                   | 05-03-2024                                                                                                                                                                    |
| Primary Article Identifier                                            | 4008321163974   4050300891514   4050300925547   4008321593009   4008321671875   4052899402119   4062172091749   4062172121033   4062172121378   4062172396226   4062172396202 |
| Candidate List Substance 1                                            | No declarable substances contained                                                                                                                                            |
| Declaration No. in SCIP database                                      | In work                                                                                                                                                                       |

Country specific information

| Product code  | METEL code | SEG-No. | STK number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300891514 | OSRA7225   | -       | -          | -      |
| 4050300891521 | OSRA7225   | -       | -          | -      |
| 4050300891514 | OSRA7225   | -       | -          | -      |
| 4050300925547 | -          | -       | 4730330    | -      |
| 4050300925547 | -          | -       | 4730330    | -      |

Logistical Data

| Product code  | Product description          | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume               | Gross weight |
|---------------|------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4050300891514 | ORIGINAL - METAL BASE P21/4W | Unpacked 1                   | - x - x -                            |                      |              |
| 4050300891521 | ORIGINAL - METAL BASE P21/4W | Folding carton box 10        | - x - x -                            |                      |              |
| 4008321091093 | ORIGINAL - METAL BASE P21/4W | Shipping carton box 50       | 273 mm x 145 mm x 65 mm              | 2.57 dm <sup>3</sup> | 660.00 g     |
| 4050300925547 | ORIGINAL - METAL BASE P21/4W | Blister 2                    | 95 mm x 70 mm x 18 mm                | 0.12 dm <sup>3</sup> | 25.00 g      |

Product datasheet

|               |                                 |                           |                            |                      |          |
|---------------|---------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4008321140531 | ORIGINAL - METAL<br>BASE P21/4W | Shipping carton box<br>20 | 280 mm x 80 mm x<br>103 mm | 2.31 dm <sup>3</sup> | 320.00 g |
|---------------|---------------------------------|---------------------------|----------------------------|----------------------|----------|

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

