Product datasheet

# ORIGINAL - GLASS WEDGE BASE W16W

Original spare part

## The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.


© 2026, OSRAM GmbH. All rights reserved.

# Product datasheet

## Technical data

### Product information

| | |
|---|---|
| **Application (Category and Product specific)** | Auxiliary lamp |

### General Product Information

| | |
|---|---|
| **Global order reference** | 921 |

### Electrical Data

| | |
|---|---|
| **Power input** | 19.4 W |
| **Nominal voltage** | 12.8 V |
| **Nominal wattage** | 16 W |
| **Power input tolerance** | ±10 % |
| **Test voltage** | 13.5 V |

### Photometric Data

| | |
|---|---|
| **Nominal luminous flux** | 310 lm |
| **Luminous flux tolerance** | ±20 % |

### Physical Attributes & Dimensions




| | |
|---|---|
| **Lamp base** | W2.1x9.5d |
| **Length** | 38.0 mm |
| **Diameter** | 16.0 mm |
| **Product weight** | 1.84 g |

### Lifetime Data

| | |
|---|---|
| **Lifespan B3** | 400 hr |
| **Lifespan Tc** | 1000 hr |


© 2026, OSRAM GmbH. All rights reserved.

# Product datasheet

## Capabilities

| | |
|---|---|
| **Technology** | AUX |

## Certificates & standards

| | |
|---|---|
| **ECE category** | W16W |

## Environmental & Regulatory Information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Primary article identifier** | 4062172374941 \| 4062172396486 \| 4062172374972 \| 4062172396462 \| 4062172436489 \| 4006584393763 \| 4052899135826 \| 4052899406933 \| 4052899250550 \| 4052899444676 \| 4008321298027 \| 4008321349507 \| 4008321100948 |
| **Candidate list substance 1** | No declarable substances contained |
| **Declaration no. in SCIP database** | No declarable substances contained |

## Country specific information

| Product code | METEL code | SEG-No. | STK-Number | UK Org |
|---|---|---|---|---|
| 4008321100948 | OSRA921 | - | - | - |

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4008321100948 | ORIGINAL - WEDGE BASE W16W | Unpacked 1 | 38 mm x 16 mm x 16 mm | 0.01 $dm^3$ | 2.00 g |
| 4008321100962 | ORIGINAL - WEDGE BASE W16W | Shipping carton box 50 | 205 mm x 144 mm x 64 mm | 1.89 $dm^3$ | 220.00 g |
| 4062172396486 | ORIGINAL - WEDGE BASE W16W | BLI ECO 2 | 70 mm x 16 mm x 95 mm | 0.01 $dm^3$ | 14.00 g |
| 4062172396493 | ORIGINAL - WEDGE BASE W16W | Shipping carton box 20 | 104 mm x 104 mm x 78 mm | 0.84 $dm^3$ | 162.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

| File |
|---|


© 2026, OSRAM GmbH. All rights reserved.

| | |
|---|---|
| | User instruction<br>GPRS_Safety symbols instructions |
| | Addon Technical Information<br>Product Certificates AUX |

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM


© 2026, OSRAM GmbH. All rights reserved.