Product datasheet

ORIGINAL - GLASS WEDGE BASE W21/5W

Original spare part

The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

© 2026, OSRAM GmbH. All rights reserved.

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp

General Product Information

Global order reference	7515

Electrical Data

Power input	25 / 6 W
Nominal voltage	12 V
Nominal wattage	21/5 W
Power input tolerance	±6 / ±10 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	440/35 lm
Luminous flux tolerance	±15 / ±20 %

Physical Attributes & Dimensions



Lamp base	W3x16q
Length	47.5 mm
Diameter	20.0 mm
Product weight	6.80 g

Lifetime Data

Lifespan B3	250 / 600 hr [1)]
Lifespan Tc	500 / 1600 hr [1)]

[1)] Filament 1 / Filament 2

© 2026, OSRAM GmbH. All rights reserved.

Product datasheet

Capabilities

Technology	AUX

Certificates & standards

ECE category	W21/5W

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Primary article identifier	4062172396387 | 4052899324312 | 4052899417892 | 4062172345415 | 4052899324589 | 4062172396400
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899324312	ORIGINAL - WEDGE BASE W21/5W	Unpacked 1	20 mm x 20 mm x 47 mm	0.18 dm^3	7.00 g
4052899324336	ORIGINAL - WEDGE BASE W21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm^3	500.00 g
4062172396387	ORIGINAL - WEDGE BASE W21/5W	Blister 2	70 mm x 27 mm x 95 mm	0.18 dm^3	25.00 g
4062172396394	ORIGINAL - WEDGE BASE W21/5W	Shipping carton box 20	164 mm x 124 mm x 78 mm	1.59 dm^3	290.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Addon Technical Information Product Certificates AUX

Application advice
For more detailed application information and graphics please see product datasheet.

© 2026, OSRAM GmbH. All rights reserved.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM

© 2026, OSRAM GmbH. All rights reserved.