## **OSRAM**

# ORIGINAL - GLASS WEDGE BASE W21/5W

## Original spare part





#### The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

#### Technical data

## **Product information**

Order reference	7515
Application (Category and Product specific)	Auxiliary lamp


#### **Electrical data**

Power input	25 / 6 W
Nominal voltage	120 V
Nominal wattage	21/5 W
Power input tolerance	±6 / ±10 %
Test voltage	13.5 V

## Photometrical data

Luminous flux	440/35 lm
Luminous flux tolerance	±15 / ±20 %

## **Dimensions & weight**



Length	475 mm
Diameter	2000 mm
Product weight	680 g

## Lifespan

Lifespan B3	250 / 600 h <sup>1)</sup>
Lifespan Tc	500 / 1600 h <sup>1)</sup>

<sup>1)</sup> Filament 1 / Filament 2

## Additional product data

#### **Capabilities**

Technology	AUX
------------	-----

#### Certificates & standards

## **Country specific categorizations**

Order reference	7515
-----------------	------

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	05-03-2024		
Primary Article Identifier	4008321020536   4052899324312   4052899324589   4052899417892   4062172345415   4062172396400   4062172396387		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899324312	ORIGINAL - WEDGE BASE W21/5W	Unpacked 1	- x - x -		
4052899324329	ORIGINAL - WEDGE BASE W21/5W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	90.00 g
4052899324336	ORIGINAL - WEDGE BASE W21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	500.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













# **OSRAM**