

# ORIGINAL - GLASS WEDGE BASE W2,3W

Original spare part



## The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.

Technical data

Product information

|                                             |                |
|---------------------------------------------|----------------|
| Order reference                             | 2723           |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

|                       |        |
|-----------------------|--------|
| Power input           | 2.3 W  |
| Nominal voltage       | 120 V  |
| Nominal wattage       | 200 W  |
| Power input tolerance | ±8 %   |
| Test voltage          | 13.5 V |

Photometrical data

|                         |        |
|-------------------------|--------|
| Luminous flux           | 186 lm |
| Luminous flux tolerance | ±20 %  |

Dimensions & weight



|                |        |
|----------------|--------|
| Length         | 200 mm |
| Diameter       | 500 mm |
| Product weight | 040 g  |

Lifespan

|             |        |
|-------------|--------|
| Lifespan B3 | 350 h  |
| Lifespan Tc | 1200 h |

Additional product data

|                             |         |
|-----------------------------|---------|
| Base (standard designation) | W2x4.6d |
|-----------------------------|---------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

|              |       |
|--------------|-------|
| ECE category | W2,3W |
|--------------|-------|

Country specific categorizations

|                 |      |
|-----------------|------|
| Order reference | 2723 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                   | 05-03-2024                         |
| Primary Article Identifier                                            | 4008321012968   4008321094834      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | In work                            |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4008321094834 | OSRA2723   | -       | -          | -      |
| 4008321094841 | OSRA2723   | -       | -          | -      |
| 4008321094834 | OSRA2723   | -       | -          | -      |

Logistical Data

| Product code  | Product description            | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|--------------------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4008321094834 | ORIGINAL - WEDGE<br>BASE W2,3W | Unpacked<br>1                   | - x - x -                               |                      |              |
| 4008321094841 | ORIGINAL - WEDGE<br>BASE W2,3W | Folding carton box<br>10        | 46 mm x 29 mm x<br>112 mm               | 0.15 dm <sup>3</sup> | 15.00 g      |
| 4008321094858 | ORIGINAL - WEDGE<br>BASE W2,3W | Shipping carton box<br>50       | 148 mm x 115 mm x<br>55 mm              | 0.94 dm <sup>3</sup> | 104.00 g     |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



**OSRAM**