

## OT CABLE CLAMP B-STYLE

OPTOTRONIC Cable Clamp |



### Product family features

- Easy to install and flexible cable clamps
- Separate cable clamps for primary and secondary side
- Pre-fixed, captive screws
- Through-looping (TL version)

### Product family benefits

- Simple and quick cable mounting
- Sufficient space for cable connection
- Cost-effective and space-saving solution (TL version)
- Free cable connection thanks to open flaps
- Immediate installation thanks to pre-assembled cable clamps


### Areas of application

- Downlights, flat luminaires
- Suitable for different cable types
- Suitable for indoor installations

# Product datasheet

## Technical data

### Dimensions & weight



Product weight	26.00 g
Length	49.2 mm
Width	57.7 mm
Height	29.5 mm




### Logistical data

Commodity code	39269097900
----------------	-------------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	13-02-2022
Primary Article Identifier	4052899077881
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

## Download Data

File	
	CAD data CAD data IGS OT Cable Clamp B-Style
	CAD data CAD data STEP OT Cable Clamp B-Style
	CAD data PDF CAD data PDF OT Cable Clamp B-Style

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899077881	OT CABLE CLAMP B-STYLE	Shipping carton box 20	300 mm x 107 mm x 76 mm	2.44 dm <sup>3</sup>	605.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.