

# LEDiving STANDARD Festoon

Ideal replacement for any vehicle



**Different light colors for various applications**

Available in Cool White and Ice Blue




**High brightness**

High light intensity thanks to powerful LEDs and solid thermal management



**Matches 31 mm, 36 mm & 41 mm festoon types**

Upgrade to LED with simple plug & play replacement



## Suitable LED replacement for Festoon Types

With the LEDiving STANDARD festoon lamps you will have an ideal replacement for your conventional interior lighting. These LED retrofit lamps are available in two different light colors with color temperatures of 6,000 or 6,700 Kelvin. Discover these vibration-resistant and maintenance-free lamps, which are compatible with all conventional festoon lamp bases. OSRAM provides a 4 year guarantee for this product. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Product family datasheet

### Technical data

Product description	Product information			Electrical data		
	Order reference	Application (Category and Product specific)	Product type (off-road vs. on-road)	Power input	Nominal voltage	Nominal wattage
LEDiving STANDARD Festoon $\cong$ C5W	6431CW	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W
LEDiving STANDARD Festoon $\cong$ C5W	6431BL	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W
LEDiving STANDARD Festoon $\cong$ C5W	6436CW	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W
LEDiving STANDARD Festoon $\cong$ C5W	6436BL	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W
LEDiving STANDARD Festoon $\cong$ C5W	6441CW	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W
LEDiving STANDARD Festoon $\cong$ C5W	6441BL	Mainly used for number plate/ interior applications	Off-road $\cong$ C5W	0.6 W	12.0 V	0.50 W

Product description	Test voltage	Photometrical data		Dimensions & weight	Lifespan	
		Luminous flux	Luminous flux tolerance	Diameter	Lifespan B3	Lifespan Tc
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	25 lm	$\pm 20$ %	10.5 mm	2000 h	2000 h
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	4 lm	$\pm 20$ %	9.8 mm	2000 h	2000 h
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	25 lm	$\pm 20$ %	10.5 mm	2000 h	2000 h
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	4 lm	$\pm 20$ %	9.8 mm	1500 h	4000 h
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	25 lm	$\pm 20$ %	10.5 mm	1500 h	4000 h
LEDiving STANDARD Festoon $\cong$ C5W	13.5 V	4 lm	$\pm 20$ %	9.8 mm	1500 h	4000 h

Product description	Additional product data	Capabilities	Certificates & standards
	Base (standard designation)	Technology	ECE category
LEDiving STANDARD Festoon $\cong$ C5W	SV8.5-8	LED	
LEDiving STANDARD Festoon $\cong$ C5W	SV8.5-8	LED	


## Product family datasheet

<b>Product description</b>	<b>Additional product data</b>	<b>Capabilities</b>	<b>Certificates &amp; standards</b>
	<b>Base (standard designation)</b>	<b>Technology</b>	<b>ECE category</b>
LEDiving STANDARD Festoon $\hat{=}$ C5W	SV8.5-8	LED	
LEDiving STANDARD Festoon $\hat{=}$ C5W	SV8.5-8	LED	
LEDiving STANDARD Festoon $\hat{=}$ C5W	SV8.5-8	LED	
LEDiving STANDARD Festoon $\hat{=}$ C5W	SV8.5-8	LED	

## Product family datasheet

---

### Download Data

File	
	Brochures LEDiving Retrofits - Exchange overview (EN)

#### Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

#### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

**OSRAM**