

# LEDriving LG

The premium LED daytime running light by OSRAM



**LED lightguide technology** Pixel-free brilliance and dynamic curves

#### **DRL & Position Light**

LED daytime running light including position light compatible with a wide range of car models and easy to install

#### 6000 K

For drivers who want to increase visibility during the day



#### Stylish highlights for your car

LEDriving LG – this premium LED daytime running light by OSRAM combines high technology, attractive design and absolutely uniform light distribution. This high-quality, LED daytime running light, with its head-turning design and curved shape, will make any car look that bit more dynamic. Thanks to the high IP 69K protection rating, intensive car washes do not pose any threat. The OSRAM LED LEDriving LG is suitable for many vehicle models and allows simple, quick self installation. With its bright light color of 6,000 Kelvin, LEDriving LG can be used as daytime running as well as position light. Thanks to intelligent control, an automatic operation is possible. OSRAM offers a 5-year-guarantee for this top product. Note: LEDriving LG is certified according to ECE, SAE, CCC regulations (ECE R87 approval).

## Technical data

## **Product information**

Order reference	LEDDRL102
Electrical data	
Nominal voltage	135 V
Nominal wattage	15 W

## Photometrical data

Color temperature

6000 K

# Dimensions & weight

Length	1670 mm
Product weight	95300 g
Width	420 mm
Height	320 mm
Lifespan	
Guarantee	5 years
Additional product data	
Connector to lamp	Wire Kit
Capabilities	
Technology	LED
Certificates & standards	
Standards	ECE R87, R7

Approval marks – approval	E4 approval	
Country specific categorizations		
Order reference	LEDDRL102	
Logistical data		
Commodity code	85122000900	

## **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899200494   4052899266506
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	19f74344-8fa5-4c6e-8ebb-52f2404cbddf   165e644a- c839-4073-94d5-6f636c4739aa

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899200494	LEDriving LG	Folding carton box 1	288 mm x 79 mm x 204 mm	4.64 dm <sup>3</sup>	1162.00 g
4052899200500	LEDriving LG	Shipping carton box 4	350 mm x 305 mm x 233 mm	24.87 dm³	5235.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

	File
1	User instruction 503372_LED Daytime Running Light Kit LEDDRL102

## Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee.

Compatible with start-stop-systems and hybrid vehicles

## **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### Application advice

X

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.









