

# LEDinspect PRO POCKET 280

Professional LED inspection light



**280 lm + 70 lm**

This high-powered main light with 280 lumen comes with LED pointer with 70 lumen



**Equipped with 3+1 high-power, long-lasting LEDs**

High-power LEDs for long-lasting comfortable light output



**Integrated battery status display**

Easy charge via USB port & DC/AC (with charging cable)



### Small compact work light with torch light function

LEDinspect PRO POCKET 280 helps you to see better when working at your garage. This small compact powerful LED inspection light is usable in many ways as a professional working tool. Its handy design and the bright light with a color temperature of up to 6,000 Kelvin enable convenient and precise work. Especially practical: the 270° degree rotation of the hook. You can recharge the luminaire easily via USB port, DC and AC connection. OSRAM provides a 3 year guarantee for this LEDinspect product.

# Product datasheet

## Technical data

### Product information

Order reference	LEDIL107
Application (Category and Product specific)	LED inspection lights for professionals


### Electrical data

Nominal wattage	1.00 W
Nominal voltage	NaN V

### Photometrical data

Color temperature	6500 K
Luminous flux	280 lm
Light color LED	White

### Dimensions & weight



Product weight	247.00 g
Length	64.0 mm
Width	17.0 mm
Height	133.0 mm

### Colors & materials

Base color	Orange/black
------------	--------------

### Lifespan

Guarantee	3 years
-----------	---------

### Additional product data

Type of Battery	Rechargeable
-----------------	--------------

## Product datasheet

Number of included batteries	n.a.
Scope of battery	Yes
Battery	Li-ion Polymer Battery Model

### Capabilities

Technology	LED
------------	-----

### Certificates & standards

Standards	CE
Type of protection	IP44

### Country specific categorizations

Order reference	LEDIL107
-----------------	----------

### Logistical data

PCHL Watt hour per battery [MPRD]	7.40
-----------------------------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	29-12-2021
Primary Article Identifier	4052899963863
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	76ee70eb-0c03-4bf4-a0be-a217cbe42c52

### Equipment / Accessories

- Charging cable included

### Logistical Data




Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899963863	LEDinspect PRO POCKET 280	Folding carton box 1	68 mm x 46 mm x 169 mm	0.53 dm <sup>3</sup>	281.00 g
4052899963870	LEDinspect PRO POCKET 280	Shipping carton box 4	179 mm x 158 mm x 110 mm	3.11 dm <sup>3</sup>	1239.00 g

## Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Download Data

File	
	User instruction LEDinspect PRO POCKET 280
	Movie application Image Film LEDinspect Pro (EN)
	Movie application Image Film LEDinspect Family (EN)

#### References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM