

SharXS HTI



应用领域


- 演唱会照明
- 舞会及俱乐部
- 舞台及剧场
- 演播室，电视电影
- 建筑照明及灯光秀

产品特点

- SHARXS lamps provide consistent lengths and bases within each SharXS family for simplified fixture designs (Baby SharXS - 93mm, SharXS - 136mm, Maxi SharXS - 220mm)
- Robust design with eXtreme Seal (XS) technology, allowing up to 450°C at the pinch seal
- Hot restart capability
- Natural tone of light with CRI as high as 90 for "Brilliant" types
- Pre-focus base for accurate lamp installation



产品系列数据表



SharXS HTI

产品系列数据表

技术参数

产品描述	电参数			光度数据
	标称功率	标称电压	标称电流	光通量
Baby SharXS HTI 250 W/D5/80	250 W	95 V	3.3 A	19000 lm
Baby SharXS HTI 300 W/D5/57	300 W	75 V	4.3 A	20000 lm
Baby SharXS HTI 300 W/D5/65	300 W	95 V	3.6 A	22000 lm
Baby SharXS HTI 575 W/D5/56	575 W	93 V	7.2 A	43000 lm
SHARXS HTI 400 W/D3/75 ¹⁾	400 W	50 V	8.5 A	26000 lm
SHARXS HTI 700 W/D4/60 ²⁾	700 W	70 V	11 A	59000 lm
SHARXS HTI 700 W/D4/75 ³⁾	700 W	70 V	10 A	59000 lm
SHARXS HTI 1200 W/D7/60 ³⁾	1200 W	96.6 V	12.4 A	110000 lm
SharXS 1200W Brilliant ³⁾	1200 W	90 V	13.3 A	110000 lm
SHARXS HTI 1200 W/D7/75 ²⁾	1200 W	95.3 V	12.6 A	91000 lm
SHARXS HTI 1500 W/D7/60 ⁴⁾	1500 W	110 V	13.6 A	145000 lm
Maxi SharXS HTI 1800 W	1800 W	101 V	17.8 A	160000 lm
Maxi SharXS HTI 2000 W	2000 W	105 V	19 A	200000 lm

产品描述	寿命
	Average Rated Life
Baby SharXS HTI 250 W/D5/80	3000 hr
Baby SharXS HTI 300 W/D5/57	3000 hr
Baby SharXS HTI 300 W/D5/65	750 hr
Baby SharXS HTI 575 W/D5/56	500 hr
SHARXS HTI 400 W/D3/75 ¹⁾	1000 hr
SHARXS HTI 700 W/D4/60 ²⁾	750 hr
SHARXS HTI 700 W/D4/75 ³⁾	750 hr
SHARXS HTI 1200 W/D7/60 ³⁾	750 hr
SharXS 1200W Brilliant ³⁾	750 hr
SHARXS HTI 1200 W/D7/75 ²⁾	750 hr
SHARXS HTI 1500 W/D7/60 ⁴⁾	750 hr
Maxi SharXS HTI 1800 W	750 hr
Maxi SharXS HTI 2000 W	750 hr

¹⁾ 无滚花螺母的30单位/箱OEM包装产品可供选择

²⁾ XS = 极端密封 (最大允许温度为450 °C)

³⁾ 无滚花螺母的30单位/箱OEM包装产品可供选择/XS = 极端密封 (最大允许温度为450 °C)

⁴⁾ 可运行在1200...1500 W之间

产品系列数据表

安全建议

由于Maxi SharXS HTI灯在工作时亮度高、紫外线辐射高、内压高，所有它只能在专为此目的设计的密闭外壳内工作。必须使用合适滤光片来确保紫外线辐射降至接受水平。如果灯破裂，会释放水银。必须采取特定的安全措施。备有安全性和处理相关信息可供索取，也可以在照明灯宣传单或操作说明书中查找相应信息。

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。