

XSTAGE Xenon Short-arc Lamps



应用领域


- Spotlights
- Searchlights
- Solar Simulation

产品特点

- High luminance (point source) with rugged design for spotlight applications
- Color temperature approximately 6000K - simulates daylight
- Continuous spectrum in the visible range
- High color rendering > 95
- High arc stability
- DC operation
- Hot restart



产品系列数据表



Xstage XENON SHORT ARC LAMPS for
ENTERTAINMENT

产品系列数据表

技术参数

产品描述	电参数			寿命
	标称功率	标称电压	电流控制范围	Average Rated Life
Xstage 4000 W OFR	4000 W	30 V	80...135 A	650 hr
Xstage 7000 W OFR	7000 W	40 V	110...165 A	650 hr

产品系列数据表

安全建议

Because of their high luminance, UV radiation and high internal pressure in both the hot and cold state, Xstage lamps must only be operated in enclosed lamp casings specially constructed for the purpose. Always use the supplied protective jackets when handling these lamps. They may only be used as open lamps if appropriate safety measures are taken. More information is available on request or can be found in the leaflet included with the lamp or the operating instructions.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。