

Halogen (75-130 V) Single End





Användningsområde


- Stage & Theatre
- not relevant
- Professional Photography
- Club & Disco

Produktegenskaper

- Robust construction for reliable, lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift



Datablad produktfamilj



HALOGEN STUDIO LAMP 93734



HALOGEN STUDIO LAMP 64777, 64787, 64796



HALOGEN STUDIO LAMP 64805

Datablad produktfamilj

Tekniska data

	Allmän produktinformation		Elektriska data	Fysiska egenskaper och dimensioner
Produktbeskrivning	ANSI Kod	LIF	Nominell märkspänning	Socket
64501 150 W 120 V	-	-	120 V	GX6.35
64514 300 W 120 V ¹⁾	-	CP/96	120 V	GX6.35
64512 300 W 120 V ¹⁾	FNS	-	120 V	GX6.35
PAR36 DWE MFL	DWE	-	120 V	screw terminal
64743 1000 W 120 V	FEL	CP/77	120 V	G9.5
93723 1200 W 80 V	-	CP/110	80 V	G22
64805 5000 W 120 V	DPY	-	120 V	G38/50

	Livslängder
Produktbeskrivning	Average Rated Life
64501 150 W 120 V	50 hr
64514 300 W 120 V ¹⁾	75 hr
64512 300 W 120 V ¹⁾	15 hr
PAR36 DWE MFL	100 hr
64743 1000 W 120 V	300 hr
93723 1200 W 80 V	250 hr
64805 5000 W 120 V	500 hr

¹⁾ Med trängd kvartsteknik

Datablad produktfamilj

Säkerhetsanvisningar

För att undvika personskador och materiella skador, får halogenlampor endast användas i passande armaturer som är försedda med lämpliga anordningar (skyddsskärmar, galler etc.) som säkerställer att inga delar/skärvor kan komma ut om lampan går sönder och att ingen ultraviolett strålning frigörs vid användningen. Det måste också finnas en varningsskylt som anger att lampan avger mycket värme. Detaljerad information finns tillgänglig på begäran.

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.