

Halogen (> 130 V) Double End




Användningsområde

- Stage & Theatre
- not relevant
- Professional Photography
- Club & Disco

Produkttegenskaper

- Robust construction for lasting performance
- Consistent color over the life of the lamps
- Instant on and nearly constant luminous flux over the life of the lamp
- Broad product portfolio supporting the stage and studio markets
- Dimmable with traditional amber shift






HALOGEN STUDIO LAMP 64571, 64572



HALOGEN STUDIO LAMP 64580



HALOGEN STUDIO LAMP 64751



HALOGEN STUDIO LAMP 64781

Datablad produktfamilj

Tekniska data

Produktbeskrivning	Allmän produktinformation		Elektriska data	Fysiska egenskaper och dimensioner
	ANSI Kod	LIF	Nominell märkspänning	Sockel
64571 800 W 230 V	DXX	P2/13	230 V	R7s
64571 800 W 240 V	DXX	P2/13	NaN V	R7s
64572 1000 W 230 V	-	P2/35	230 V	R7s
64580 1000 W 230 V	-	P1/12	230 V	R7s
64580 1000 W 240 V	-	P1/12	240 V	R7s
64583 1000 W 230 V	-	P2/20	230 V	R7s
64583 1000 W 240 V	-	P2/20	240 V	R7s
64741 1000 W 230 V	EKM	P2/7	230 V	R7s
64741 1000 W 240 V	EKM	P2/7	240 V	R7s
64751 1250 W 230 V	-	P2/12	230 V	R7s
64751 1250 W 240 V	-	P2/12	240 V	R7s
64781 2000 W 240 V	-	P2/27	240 V	RX7s

Produktbeskrivning	Livslängder
	Average Rated Life
64571 800 W 230 V	75 hr
64571 800 W 240 V	75 hr
64572 1000 W 230 V	75 hr
64580 1000 W 230 V	15 hr
64580 1000 W 240 V	15 hr
64583 1000 W 230 V	200 hr
64583 1000 W 240 V	200 hr
64741 1000 W 230 V	200 hr
64741 1000 W 240 V	200 hr
64751 1250 W 230 V	200 hr
64751 1250 W 240 V	200 hr
64781 2000 W 240 V	300 hr

Datablad produktfamilj

Säkerhetsanvisningar

För att undvika personskador och materiella skador, får halogenlampor endast användas i passande armaturer som är försedda med lämpliga anordningar (skyddsskärmar, galler etc.) som säkerställer att inga delar/skärvor kan komma ut om lampan går sönder och att ingen ultraviolett strålning frigörs vid användningen. Det måste också finnas en varningsskylt som anger att lampan avger mycket värme. Detaljerad information finns tillgänglig på begäran.

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.