

HPL (> 130 V)



Användningsområde


- Stage & Theatre
- not relevant
- Architecture & Architainment

Produktgenskaper


- Ultra compact filament design (UCF) for high lumen output
- Unique gas fill which improves light output and minimizes risk of arc-out
- Special heat sink base for maximum durability in high temperature applications
- Reinforced pinch seal for extra mechanical strength
- Foam packaging for easier handling and installation
- Optimum system performance with TP22H socket



Datablad produktfamilj



HPL 575W



HPL 750W

Datablad produktfamilj

Tekniska data

Produktbeskrivning	Elektriska data		Fysiska egenskaper och dimensioner	Livslängder
	Nominell watttal	Nominell märkspänning	Socket	Average Rated Life
HPL 93728 575 W 230 V	575 W	230 V	G9.5 w/Hsink	400 hr
HPL 93728 LL 575 W 230 V	575 W	230 V	G9.5 w/Hsink	1500 hr
HPL 93728 575 W 240 V	575 W	240 V	G9.5 w/Hsink	400 hr
HPL 93728 LL 575 W 240 V	575 W	240 V	G9.5 w/Hsink	1500 hr
HPL 93729 750 W 230 V	750 W	230 V	G9.5 w/Hsink	300 hr
HPL 93729 LL 750 W 230 V	750 W	230 V	G9.5 w/Hsink	1500 hr
HPL 93729 750 W 240 V	750 W	240 V	G9.5 w/Hsink	300 hr
HPL 93729 LL 750 W 240 V	750 W	240 V	G9.5 w/Hsink	1500 hr

Datablad produktfamilj

Säkerhetsanvisningar

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

Appliktionsråd

För mer detaljerad applikationsinformation och grafik, vänligen se produktdatablad

Friskrivningsklausul

Kan ändras utan föregående notifiering. Felaktigheter och försummelse undantagna. Se alltid till att använda den senaste utgåvan.