

PURITEC HNS Linear Lamps



应用领域

- Air & Water Purification
- Surface Disinfection

产品特点

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free



产品系列数据表



HNS 4/55

产品系列数据表

技术参数

	电参数		Physical Attributes & Dimensions	寿命
产品描述	标称功率	标称电压	灯头 (标准名称)	Average Rated Life
HNS 4 W G5	4 W	29 V	G5	6000 hr
HNS 6 W G5	6 W	42 V	G5	8000 hr
HNS 8 W G5 G5	7 W	56 V	G5	8000 hr
HNS 15 W G13	15 W	55 V	G13	8000 hr
HNS 16 W G5	16 W	43.0 V	G5	8000 hr
HNS 25 W G13	25 W	46 V	G13	8000 hr
HNS 30 W G13	30 W	96 V	G13	9000 hr
HNS 36 W G13	36 W	103 V	G13	8000 hr
HNS 55 W G13	55 W	83 V	G13	8000 hr

产品系列数据表

安全建议

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。