

PURITEC HNS Compact S Lamps




应用领域


- Air & Water Purification
- Surface Disinfection

产品特点

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free



产品系列数据表



HNS S

产品系列数据表

技术参数

	电参数		Physical Attributes & Dimensions	寿命
产品描述	标称功率	标称电压	灯头 (标准名称)	Average Rated Life
HNS S 5 W G23 ¹⁾	5 W	35 V	G23	8000 hr
HNS S 7 W G23 ¹⁾	7 W	46 V	G23	8000 hr
HNS S 9 W G23 ¹⁾	9 W	60 V	G23	8000 hr
HNS S 11 W G23 ¹⁾	11 W	91 V	G23	8000 hr

¹⁾ 在1 m距离内测试中型灯泡的紫外辐射 253.7 nm, 在 20 ° C 环境温度, 自由燃烧 在0.3...3 m距离内辐射程度与距离的平方成反比

产品系列数据表

安全建议

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。