

PURITEC HNS Compact L Lamps



应用领域


- Air & Water Purification
- Surface Disinfection

产品特点


- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free



产品系列数据表



HNS L 18W 2G11



HNS L

产品系列数据表

技术参数

	电参数		Physical Attributes & Dimensions	寿命
产品描述	标称功率	标称电压	灯头 (标准名称)	Average Rated Life
HNS L 18 W 2G11	18 W	58 V	2G11	9000 hr
HNS L 24 W 2G11	24 W	87 V	2G11	9000 hr
HNS L 36 W 2G11	36 W	106 V	2G11	9000 hr
HNS L 55 W 2G11	55 W	101 V	2G11	9000 hr
HNS L 60 W 2G11	60 W	82 V	2G11	9000 hr
HNS L 95 W 2G11	95 W	115 V	2G11	9000 hr

产品系列数据表

安全建议

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

应用建议

更多详细应用信息和图形,请参阅产品数据表。

免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。