

LEDambient HYBRID CONNECT

LED app controlled styling lights



Bluetooth enabled

Free OSRAM LEDambient CONNECT app controls color mode and multiple products



Add color to your headlights

Set custom color presets with many colors to choose from



Synchronize your music

LED light pulses to the beat of your music



LED color changing products

Simple to install and run, LEDambient HYBRID CONNECT is a discreet system that replaces your existing headlight bulbs with whiter high-performance halogen bulbs that are enhanced with color changing LED light. Using Bluetooth technology, once paired, the free OSRAM LEDambient CONNECT app allows you to control color, mode and multiple compatible products with one device. OSRAM provides a 2 year guarantee for the LEDambient HYBRID CONNECT lights. These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Product datasheet

Technical data

Product information

Order reference	LEDEXT102-03
-----------------	--------------


Electrical data

Nominal wattage	12.00 W
Nominal voltage	12.0 V

Photometrical data

Color temperature	6000 K
Luminous flux	red 40 lm, green 60 lm, blue 20 lm
Light color LED	RGB

Dimensions & weight



Product weight	190.00 g
Length	3264 mm
Width	69.0 mm
Height	15.0 mm

Lifespan

Guarantee	2 years
-----------	---------

Additional product data

Connector to lamp	Wire Kit
-------------------	----------

Capabilities

Technology	LED
------------	-----

Product datasheet

Certificates & standards

Standards	CE
-----------	----

Country specific categorizations

Order reference	LEDEXT102-03
-----------------	--------------

Logistical data



Commodity code	851220009000
----------------	--------------

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899490581	LEDambient HYBRID CONNECT HB3	Folding carton box 1	173 mm x 65 mm x 180 mm	2.02 dm ³	306.00 g
4052899490598	LEDambient HYBRID CONNECT HB3	Shipping carton box 4	295 mm x 195 mm x 207 mm	11.91 dm ³	1488.90 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction LEDambient HYBRID CONNECT LEDEXT102-03,LEDEXT102-04,LEDEXT102-10 User manual
 Brochures 728733_Vehicle Finder LEDambient HYBRID CONNECT (GB)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM