Product family datasheet



LEDriving BASIC P21/5W



Product family datasheet

Technical data

| | Product information | | | | Electrical data | | |
|-------------------------------------|--|---|------------------|--|-------------------------------|---|--------------------|
| Product description | Order reference | Product type (off road vs. on-road) | - ai | pplication (Category nd Product specific) | Power input | Nominal voltage | Nominal wattage |
| LEDriving BASIC \triangleq P21/5W | 1357CWOff-road △Mainly used for1.44 W120 V120 WP21/5Wsignal/ indicator applicationsapplicationsapplications | | | | | | 120 W |
| | | | Photo rical d | | & weight | Lifespan | |
| Product description | | Test voltage | Lumin flux | ous Length | Diameter | Lifespan B3 | Lifespan Tc |
| LEDriving BASIC \doteq P21/5W | ±20 % | 13.5 V 85/25 | | lm 382 mm | 2000 mm | 2000 h | 2000 h |
| | Additional product data | Additional Capabilities Environmental information product data Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH | | | | | |
| Product description | Base (standard designation |) Techno | ology | Date of Declaration | Primary Article Identifier | | |
| LEDriving BASIC ≙ P21/5W | BAY15d | LED | | 06-03-2024 | 4052899 4052899 4052899 | 9414518 9414495 9427327 9463295 9463080 | |

| Product description | Candidate List Substance 1 | CAS No. of substance | Safe Use Instruction | Declaration No. in SCIP database |
|--------------------------|-------------------------------|----------------------|---|--|
| LEDriving BASIC ≙ P21/5W | Lead | 7439-92-1 | The identification of the Candidate List substance is sufficient to allow safe use of the article. | fe6d71fd-c80e-400d- 8cc2-14ed29394294 1d480114-7d33- 4144-80cc- 0d5f7210d25e e9e1666a-1f1f-4c57- 897e-b5d1a43415ca 71710aae-de5e- 4bc7-9841- c54466748320 9bf3b981-7442- 439c-a86d- e513fc794734 |

Product family datasheet

Download Data

 File

 Brochures

 LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.