OSRAM

LEDriving BASIC R5W



Product family datasheet

Technical data

	Product info	rmation				Electrical d	ata	
Product description	Order reference	Product type (off road vs. on-road)	- aı		tion (Category duct specific)	Power input	Nominal voltage	Nominal wattage
LEDriving BASIC ≜ R5W	5107CW	Off-road R5W	si	,	used for indicator tions	0.96 W	120 V	080 W
			Photo rical d		Dimensions &	weight	Lifespan	
Product description		Test voltage	Lumin	ous	Length	Diameter	Lifespan B3	Lifespan Tc
LEDriving BASIC ≙ R5W	±20 %	13.5 V	55 lm		290 mm	1900 mm	2000 h	2000 h
	Additional product data	Capabil	lities	Info	mation accordin	ental information on according Art. 33 of EU n (EC) 1907/2006 (REACh)		
Product description	Base (standard designation)	Techno	logy	Date	of Declaration	Primary Identifie		
LEDriving BASIC ≙ R5W	BA15s	LED		06-0	3-2024	4052899 4052899	9414532 9414556 9427396 9463127	

Product description	Candidate List Substance 1	CAS No. of substance	Safe Use Instruction	Declaration No. in SCIP database
LEDriving BASIC ≙ R5W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4deab8c0-c089- 4d6a-90f4- 3738f5af799e a74edd59-fe84-466f- 9e9c-d76036657cbc bfa7eecb-33b8-4a4a- bd2e-265775e7c10f 12c61241-8e84- 49d2-aad6- 61ee9185fc4c e8c7bd92-d6cb-4cf2- 9e8f-8360bae74918

4052899463332

Product family datasheet

Download Data

File



Brochures

LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.