OSRAM

LEDriving BASIC R5W



Product family datasheet

Technical data

	Product information				Electrical data		
Product description	Order reference	Product type (off- road vs. on-road)	- and	lication (Category Product specific)	Power input	Nominal voltage	Nominal wattage
LEDriving BASIC ≙ R5W	5107CW	Off-road R5W	sign	nly used for al/ indicator lications	0.96 W	12.0 V	0.80 W
			Photome		weight	Lifespan	
Product description		Test voltage	Luminou flux	Length	Diameter	Lifespan B3	Lifespan Tc
LEDriving BASIC ≙ R5W	±20 %	13.5 V	55 lm	29.0 mm	19.0 mm	2000 h	2000 h
	Additional product data	Capabil	li li	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Base (standard designation)	Techno	logy C	Date of Declaration	Primary Identifi		
LEDriving BASIC ≜ R5W	BA15s	LED	О	06-03-2024	405289 405289	9414532 9414556 9427396 9463127	

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDriving BASIC ≜ R5W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4deab8c0-c089- 4d6a-90f4- 3738f5af799e a74edd59-fe84-466f- 9e9c-d76036657cbc bfa7eecb-33b8-4a4a- bd2e-265775e7c10f 12c61241-8e84- 49d2-aad6- 61ee9185fc4c e8c7bd92-d6cb-4cf2- 9e8f-8360bae74918

4052899463332

Product family datasheet

Download Data

File



Brochures

LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.