

# LEDiving BASIC R10W



Product family datasheet

Technical data


Product description	Product information			Electrical data		
	Order reference	Product type (off-road vs. on-road)	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage
LEDDriving BASIC $\triangleq$ R10W	5108CW	Off-road $\triangleq$ R10W	Mainly used for signal/ indicator applications	1.44 W	120 V	120 W

Product description	Power input tolerance	Test voltage	Photometrical data	Dimensions & weight		Lifespan	
			Luminous flux	Length	Diameter	Lifespan B3	Lifespan Tc
LEDDriving BASIC $\triangleq$ R10W	$\pm 20\%$	13.5 V	85 lm	290 mm	1900 mm	2000 h	2000 h

Product description	Additional product data	Capabilities	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Base (standard designation)	Technology	Date of Declaration	Primary Article Identifier
LEDDriving BASIC $\triangleq$ R10W	BA15s	LED	06-03-2024	4052899414570   4052899414594   4052899427426   4052899463356   4052899463141

Product description	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
LEDDriving BASIC $\triangleq$ R10W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	2115fbba-97ea-4065-9557-f01077d71065   3d88abbd-dd35-4bb0-bea6-4442158e669d   3ad4bf45-0260-446d-a214-cf1deeca87d9   b202dc8f-679a-4862-8048-9e2fbcf9ed99   1068a570-b34f-446b-84ce-0f878db5b787

Download Data

File	
	Brochures LEDriving Retrofits - Exchange overview (EN)

Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

References / Links

Guarantee terms are available at [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.