
LINEARlight FLEX Diffuse Side

LED modules for professional and industrial applicationsNotice: New Generation or successor products available!



Product family features

- Diffused light lines without visible spots
- Flexible and cuttable module to support design freedom
- Long operational length per single power feed up to 10 m
- Ideal for luminaire designs
- Extra strong self-adhesive backside for easy mounting
- 24 V technology for easy dimensioning
- Recommended in system use with OPTOTRONIC
- Increased reliability due to single piece reel-to-reel technology
- Dimmable with PWM technology

Product family benefits

- IP68 protection with high performance silicone
- Reliable connection over long periods of time: IP67 connector with built-in protection against liquids penetrating through the wires into the LED strip
- Outdoor use possible: UV and salt mist resistant (UV acc. to ISO 4892-2 - Method A, salt mist acc. to IEC 60068-2-52 severity 1)

Areas of application

- Individual and customized luminaires
- Organic shaped luminaires
- Architectural Integration – e.g. coves, walls
- Object integration – e.g. handrails
- Signage and illuminated advertising

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Technical data

	Electrical data	Photometrical data	Dimensions & weight			
Product description	**Nominal wattage per meter**	**Standard deviation of color matching**	**Height**	**Width**	**Product weight**	**Length**
LFD400S -G2-824-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-827-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-830-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-840-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-924-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-927-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-930-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD400S -G2-940-10	8.9 W	≤3 sdcm	10.8 mm	14.1 mm	1900.00 g	10000 mm
LFD600S -G2-824-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-827-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-830-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-840-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-924-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-927-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-930-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G2-940-06	13.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD1000S -G2-824-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-827-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-830-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-840-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-927-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-930-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD1000S -G2-940-04	21 W	≤3 sdcm	10.8 mm	14.1 mm	695.00 g	4000 mm
LFD400S -G1-830-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-835-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-840-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-850-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-865-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-924-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-935-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-940-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD400S -G1-965-06	7.2 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G1-840-06	11.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G1-865-06	11.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G1-924-06	11.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm
LFD600S -G1-935-06	11.5 W	≤3 sdcm	10.8 mm	14.1 mm	1040.00 g	6000 mm

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	Additional product data		Logistical data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	**ID of contained light source**	**Predecessor EAN**	**Commodity code**	**Date of Declaration**
LFD400S -G2-824-10	LS_TRV_286433		85395100000	19-05-2023
LFD400S -G2-827-10	LS_TRV_286434		85395100000	02-06-2023
LFD400S -G2-830-10	LS_TRV_286435		85395100000	07-07-2023
LFD400S -G2-840-10	LS_TRV_286437		85395100000	07-07-2023
LFD400S -G2-924-10	LS_TRV_286439		85395100000	07-07-2023
LFD400S -G2-927-10	LS_TRV_286440		85395100000	07-07-2023
LFD400S -G2-930-10	LS_TRV_286441		85395100000	07-07-2023
LFD400S -G2-940-10	LS_TRV_286443		85395100000	21-04-2023
LFD600S -G2-824-06	LS_TRV_286445		85395100000	07-07-2023
LFD600S -G2-827-06	LS_TRV_286446		85395100000	19-05-2023
LFD600S -G2-830-06	LS_TRV_286447		85395100000	07-07-2023
LFD600S -G2-840-06	LS_TRV_286449		85395100000	07-07-2023
LFD600S -G2-924-06	LS_TRV_286451		85395100000	07-07-2023
LFD600S -G2-927-06	LS_TRV_286452		85395100000	07-07-2023
LFD600S -G2-930-06	LS_TRV_286453		85395100000	26-05-2023
LFD600S -G2-940-06	LS_TRV_286455		85395100000	07-07-2023
LFD1000S -G2-824-04	LS_TRV_286457		85395100000	07-07-2023
LFD1000S -G2-827-04	LS_TRV_286458		85395100000	07-07-2023
LFD1000S -G2-830-04	LS_TRV_286459		85395100000	06-07-2023
LFD1000S -G2-840-04	LS_TRV_286461		85395100000	07-07-2023
LFD1000S -G2-927-04	LS_TRV_286464		85395100000	07-07-2023
LFD1000S -G2-930-04	LS_TRV_286465		85395100000	07-07-2023
LFD1000S -G2-940-04	LS_TRV_286467		85395100000	07-07-2023
LFD400S -G1-830-06		4052899953628	853951000000	09-08-2023
LFD400S -G1-835-06			85395100000	09-08-2023
LFD400S -G1-840-06		4052899953635	853951000000	09-08-2023
LFD400S -G1-850-06			85395100000	02-06-2023
LFD400S -G1-865-06		4052899953642	853951000000	09-08-2023
LFD400S -G1-924-06			853951000000	21-04-2023
LFD400S -G1-935-06			85395100000	02-06-2023
LFD400S -G1-940-06			85395100000	02-06-2023
LFD400S -G1-965-06			85395100000	02-06-2023
LFD600S -G1-840-06		4052899500006	940540399000	09-08-2023
LFD600S -G1-865-06		4052899500044	853951000000	09-08-2023
LFD600S -G1-924-06			85395100000	09-08-2023
LFD600S -G1-935-06			85395100000	09-08-2023

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
LFD400S -G2-824-10	4062172273992	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-827-10	4062172274012	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-830-10	4062172274036	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-840-10	4062172274074	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-924-10	4062172274111	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-927-10	4062172274135	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-930-10	4062172274159	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G2-940-10	4062172274197	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-824-06	4062172270618	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
LFD600S -G2-827-06	4062172270632	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-830-06	4062172270656	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-840-06	4062172270694	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-924-06	4062172270731	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-927-06	4062172270755	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-930-06	4062172270779	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G2-940-06	4062172270816	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-824-04	4062172271097	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-827-04	4062172271110	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
LFD1000S -G2-830-04	4062172271134	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-840-04	4062172271172	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-927-04	4062172271233	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-930-04	4062172271257	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD1000S -G2-940-04	4062172271295	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-830-06	4052899581807	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-835-06	4062172001052	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-840-06	4052899581821	No declarable substances contained		
LFD400S -G1-850-06	4062172007658	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1	Safe Use Instruction
LFD400S -G1-865-06	4052899581845	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-924-06	4062172025621	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-935-06	4062172025669	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-940-06	4062172025683	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD400S -G1-965-06	4062172025706	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G1-840-06	4052899582064	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G1-865-06	4052899582088	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G1-924-06	4062172025829	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.
LFD600S -G1-935-06	4062172025867	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.


© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Declaration No. in SCIP database
LFD400S -G2-824-10	9849d7f3-9e30-4c10-a093-103f144ce0c9
LFD400S -G2-827-10	6bf6cf39-4be4-4a2b-888f-9b33864f79a0
LFD400S -G2-830-10	e5b6b1da-8335-41eb-a063-219e9ff55b17
LFD400S -G2-840-10	548dfcdc-ef49-405a-a755-18d14e32f3ae
LFD400S -G2-924-10	2d776b0d-2be9-434d-8c6c-060176ca9b52
LFD400S -G2-927-10	f894de75-0eda-4dc1-aaae-0201efc98aa3
LFD400S -G2-930-10	1a2cfb0e-d779-4b52-b347-6a387efc9e3e
LFD400S -G2-940-10	4ccfb56e-1d50-4a22-825a-c0e8f867f700
LFD600S -G2-824-06	d496b18a-7f9c-4baf-a8b1-4f55f5e37eca
LFD600S -G2-827-06	0b1ce07b-12c0-4d0f-94ad-6305c21fcd00
LFD600S -G2-830-06	e165b383-8ff3-41d9-8867-a50d6d58fe7e
LFD600S -G2-840-06	4d267f92-aee3-4aeb-b525-7270ea4a02e4
LFD600S -G2-924-06	c3fccac2-1d76-4a00-aeb3-e4cd7ced3962
LFD600S -G2-927-06	69fd7221-b45e-4691-811f-a73903f96efc
LFD600S -G2-930-06	4361f374-3b7e-4014-9eb7-b2e0def7076c
LFD600S -G2-940-06	f10c57b0-11a1-4522-b34a-ed01c0c0b414
LFD1000S -G2-824-04	3a3e6afd-a116-4d71-8253-4a8500842224
LFD1000S -G2-827-04	badac5ca-8cad-4d6b-a0d7-bd5cb6f200a9
LFD1000S -G2-830-04	0fe6df3d-adce-43a7-b16b-9443f56d72e0
LFD1000S -G2-840-04	4d8dc1de-fbd4-4c37-a6e8-a39f94d9ca5a


© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Declaration No. in SCIP database
LFD1000S -G2-927-04	a05814f5-34b9-4d83-8a58-6fbfb4c05f37
LFD1000S -G2-930-04	e9ead098-1d6e-4fef-8504-a12333836386
LFD1000S -G2-940-04	6fd499d9-28ca-4ff8-b0ef-8b39433f413b
LFD400S -G1-830-06	bcb7208c-7aa6-40c9-90c8-7f382f4ffdd6
LFD400S -G1-835-06	8991e81f-05cd-41ca-bfa3-5bb79eb31a90
LFD400S -G1-840-06	No declarable substances contained
LFD400S -G1-850-06	67e58a94-3b05-4b50-be0d-415a56898b6e
LFD400S -G1-865-06	cfb7ba5f-721c-4021-af44-ab2a68cc0e6a
LFD400S -G1-924-06	8cce7612-9dee-4bef-8811-654cb49fcfea
LFD400S -G1-935-06	d18738f6-79ee-4ef1-a3f0-b75b463b0cf7
LFD400S -G1-940-06	f9739da9-1daa-4792-905b-5a9ff5bc2410
LFD400S -G1-965-06	1f2a1687-2985-4012-aea3-af8ce86db0e8
LFD600S -G1-840-06	bde47b89-55b9-4060-b752-9c64ae38f841
LFD600S -G1-865-06	98f93c35-bc53-4a2e-81cd-255b825fd395
LFD600S -G1-924-06	8a7192ac-1cf9-465c-8864-7d95b5bd1196
LFD600S -G1-935-06	2bce05b9-7be2-4a5e-bc3d-fce5c3ce99c6

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.



LINEARlight FLEX DIFFUSE Side line drawing



LINEARlight Flex Diffuse 400 and 600 SIDE

Application advice

For more detailed application information and graphics please see product datasheet.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Additional product information

- Some LED modules are equipped with a self-adhesive tape for attaching the LED module to suitable materials, such as aluminum profiles, which must be clean and free of oil or silicone coatings, as well as other dirt/dust particles. The adhesive tape is intended for single use and if removed may damage the material to which it is stuck and the LED module itself, which must then be scrapped. Use the adhesive tape when the installation material temperature is in the 18 °C...35 °C range. Complete adhesion takes up to 72 h.
- LED modules are designed for static installations in accordance with IPC 6013C – Use A. Take material vibrations, repetitive torsion, and elongation/compression into account.
- If the operating environment covers a broad temperature range (e.g. outdoor applications) and the operating length is longer than 2 m, the use of adequate mounting surfaces is required. The use of an additional thicker adhesive tape between LED module and mounting surface is also recommended in order to absorb the stress of any mismatch in expansion. Assure enough space for module expansion with increasing temperature.
- The manufacturer is not responsible for damage due to chemical corrosion. The user must provide suitable protection against corrosive agents such as moisture and condensation and any other harmful elements/compounds. Make certain to avoid corrosive atmospheres. According to the current state of LED technology, hydrogen sulfide (H2S) causes accelerated corrosion which leads to shortened lifetime or premature failure. Sources of H2S may be rubber, foam rubber, soft-foam tapes, rubber-based sealing, natural sources (e.g. sulfur springs), etc. To avoid H2S from sulfur-vulcanized rubber use silicon-based materials or peroxide-crosslinked rubber instead. Follow the recommendations in the material datasheet of the rubber supplier.
- IP00 LED modules, as manufactured, have no conformal coating and therefore offer no inherent protection against corrosion. Conformal coating treatment is possible, however materials must be selected properly in order to avoid product damage or impaired performance; the user must also completely seal the cut parts (ends/edges).
- For applications involving exposure to humidity and dust the module must be protected by a fixture or housing with a suitable IP protection class.
- Consult OSRAM Technical Service for further advice.
- Only a qualified electrician may install the module.
- Handle with care and ensure that there is no mechanical product damage, including damage to invisible internal electronics parts.
- Exceeding maximum operating and storage temperature ratings can reduces the expected lifetime or even destroy the LED module. The temperature of the LED module must be measured at the Tc-point in accordance with EN 60598-1 under steady-state conditions, considering the worst case; drive all channels at 100 % power. Refer to the product drawing for the exact location of the Tc-point.
- Exceeding the maximum ratings for the operating voltage causes hazardous overload and will likely destroy the LED module.
- Installation of LED modules and connection to the power supply must comply with all applicable electrical and safety standards.
- Observe correct polarity and wiring diagrams! Incorrect polarity or wrong wiring can cause unpredictable permanent damage or even failure of the product.
- Never exceed the maximum operable length, including daisy-chaining connections.
- Always ensure electrical isolation between the LED module and the mounting surface, especially in the vicinity of connections or cut ends.
- IP00 LED modules are ESD-sensitive; take adequate precautions during installation and operation of the products.
- Use only SELV LED drivers in accordance with applicable lighting standards and LED module ratings. In order to safely operate OSRAM LED modules it is necessary to supply them with an electronically stabilized power supply providing protection against short circuits, overload and overheating. To simplify the approval process of the luminaire/installation, the electronic power supplies control gear for LED modules must bear the CE and ENEC marking. In Europe the Declarations of Conformity must include at least the following standards: EN 61347-2-13, EN 55015, EN 61547 and EN 61000-3-2. ENEC certification will be based on EN 61347-2-13 and EN 62384. OSRAM OPTOTRONIC LED drivers comply with all relevant standards and guarantee safe operation; see the relevant brochure for more detailed information about OSRAM OPTOTRONIC.
- Avoid installations in rural and urban areas with high industrial activity and heavy traffic (higher than class than 4C1 according IEC 60721-3) and as well as installation in spa, areas with chlorine atmosphere, direct exposure to blown sand.

Sales and Technical Support

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Download Data

	File
	User instruction LINEARlight FLEX DIFFUSE
	Product Datasheet LINEARlight FLEX DIFFUSE Side_G2_Specification Sheet (EN)
	Brochures App Guide LINEARlight Flex Diffuse (EN)
	Brochures Light is freedom of design (EN)
	Certificates VDE ENEC CERTIFICATE 40052516 160823
	Certificates LINEARlight Flex DP UL 4413809 200622
	Eulumdat LFD400S-G2-824-10_ldt
	IES data LFD400S-G2-824-10_IES
	Eulumdat LFD400S-G2-827-10_ldt
	IES data LFD400S-G2-827-10_IES
	Eulumdat LFD400S-G2-830-10_ldt
	IES data LFD400S-G2-830-10_IES
	Eulumdat LFD400S-G2-865-10_ldt
	IES data LFD400S-G2-865-10_IES
	Eulumdat LFD1000S-G2-924-10_ldt
	Eulumdat LFD400S-G2-927-10_ldt
	IES data LFD1000S-G2-924-10_IES
	IES data LFD400S-G2-927-10_IES
	Eulumdat LFD400S-G2-930-10_ldt

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data LFD400S-G2-930-10_IES
	Eulumdat LFD400S-G2-935-10_ldt
	IES data LFD400S-G2-935-10_IES
	Eulumdat LFD400S-G2-965-10_ldt
	IES data LFD400S-G2-965-10_IES
	Eulumdat LFD600S-G2-824-10_ldt
	IES data LFD600S-G2-824-10_IES
	Eulumdat LFD600S-G2-827-10_ldt
	IES data LFD600S-G2-827-10_IES
	Eulumdat LFD600S-G2-830-10_ldt
	IES data LFD600S-G2-830-10_IES
	Eulumdat LFD600S-G2-840-10_ldt
	IES data LFD600S-G2-840-10_IES
	Eulumdat LFD600S-G2-924-10_ldt
	IES data LFD600S-G2-924-10_IES
	Eulumdat LFD600S-G2-927-10_ldt
	IES data LFD600S-G2-927-10_IES
	Eulumdat LFD600S-G2-930-10_ldt
	IES data LFD600S-G2-930-10_IES
	Eulumdat LFD600S-G2-940-10_ldt
	IES data LFD600S-G2-940-10_IES
	Eulumdat LFD1000S-G2-824-10_ldt
	IES data LFD1000S-G2-824-10_IES

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	Eulumdat LFD1000S-G2-827-10_ldt
	IES data LFD1000S-G2-827-10_IES
	Eulumdat LFD1000S-G2-830-10_ldt
	IES data LFD1000S-G2-830-10_IES
	Eulumdat LFD1000S-G2-840-10_ldt
	IES data LFD1000S-G2-840-10_IES
	Eulumdat LFD1000S-G2-927-10_ldt
	IES data LFD1000S-G2-927-10_IES
	Eulumdat LFD1000S-G2-930-10_ldt
	IES data LFD1000S-G2-930-10_IES
	Eulumdat LFD1000S-G2-940-10_ldt
	IES data LFD1000S-G2-940-10_IES
	User instruction LINEARlight FLEX DIFFUSE
	Product Datasheet LINEARlight FLEX DIFFUSE Side (EN)
	Certificates CB TEST CERTIFICATE DE-57743
	Declarations of conformity Flex Diffuse CE 3557934 221121
	Declarations of conformity 726048_Manufacturer Declaration_LINEARlight Flex Diffuse
	Eulumdat LFD400S-G1-830-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-830-06
	IES data LFD400S-G1-830-06 IES 28032022
	IES data IES data LFD400S-G1-830-06
	Eulumdat LFD400S-G1-835-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-835-06

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data LFD400S-G1-835-06 IES 28032022
	IES data IES data LFD400S-G1-835-06
	Eulumdat LFD400S-G1-840-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-840-06
	IES data LFD400S-G1-840-06 IES 28032022
	IES data IES data LFD400S-G1-840-06
	Eulumdat LFD400S-G1-850-06 LDT 28032022
	IES data LFD400S-G1-850-06 IES 28032022
	Eulumdat LFD400S-G1-865-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-865-06
	IES data LFD400S-G1-865-06 IES 28032022
	IES data IES data LFD400S-G1-865-06
	Eulumdat LFD400S-G1-924-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-924-06
	IES data LFD400S-G1-924-06 IES 28032022
	IES data IES data LFD400S-G1-924-06
	Eulumdat LFD400S-G1-935-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-935-06
	IES data LFD400S-G1-935-06 IES 28032022
	IES data IES data LFD400S-G1-935-06
	Eulumdat LFD400S-G1-940-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-940-06
	IES data LFD400S-G1-940-06 IES 28032022

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data IES data LFD400S-G1-940-06
	Eulumdat LFD400S-G1-965-06 LDT 28032022
	Eulumdat Eulumdat LFD400S-G1-965-06
	IES data LFD400S-G1-965-06 IES 28032022
	IES data IES data LFD400S-G1-965-06
	Certificates EAC Certificate
	Certificates CB TEST CERTIFICATE DE-59261
	Eulumdat LFD600S-G1-840-06 LDT 28032022
	Eulumdat Eulumdat LFD600S-G1-840-06
	IES data LFD600S-G1-840-06 IES 28032022
	IES data IES data LFD600S-G1-840-06
	Eulumdat LFD600S-G1-865-06 LDT 28032022
	Eulumdat Eulumdat LFD600S-G1-865-06
	IES data LFD600S-G1-865-06 IES 28032022
	IES data IES data LFD600S-G1-865-06
	Eulumdat LFD600S-G1-924-06 LDT 28032022
	Eulumdat Eulumdat LFD600S-G1-924-06
	IES data LFD600S-G1-924-06 IES 28032022
	IES data IES data LFD600S-G1-924-06
	Eulumdat LFD600S-G1-935-06 LDT 28032022
	Eulumdat Eulumdat LFD600S-G1-935-06
	IES data LFD600S-G1-935-06 IES 28032022
	IES data IES data LFD600S-G1-935-06

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Ecodesign regulation information:

- This product is considered to be a "containing product" in the sense of Regulations (EU) 2019/2020 and (EU) 2019/2015.
- Tolerances of the reported values, are according to LED Modules Performance standard IEC/EN 62717.
- In general, the replacement of the contained light sources without permanent damage to the product with the use of common available tools is possible in the final application when they can be dismantled from the installation environment and substituted for the necessary number of light sources restoring its full electrical/mechanical/thermal/optical functionality by means of a professional installer.In the contrary, and limited to the LINEARlight Flex Diffuse, LINEARlight Rigid Finesse, GINO LED Flex Diffuse and LUMINENT Milky product families, the contained light source is an integrated part of the containing product and its removal can only be done by causing a permanent damage to the containing product due to its tight mechanical, electrical, optical, thermal interaction and/or environmental protection with or from the containing product. Therefore, a replacement of the light source with the use of common available tools is not justified.
- Dismantling of light sources from containing products at end of life: Containing products with light sources which are scalable in length can be cut to the length of the contained light source and if applicable mechanically detached from protective and/or optical covers. Containing products shall be separated from building material and/or from other additional mounting accessories by means of a professional installer.Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172273992	LFD400S -G2-824-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274012	LFD400S -G2-827-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274036	LFD400S -G2-830-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274074	LFD400S -G2-840-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274111	LFD400S -G2-924-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274135	LFD400S -G2-927-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274159	LFD400S -G2-930-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172274197	LFD400S -G2-940-10	Shipping carton box 4	519 mm x 167 mm x 525 mm	45.50 dm^3	12480.00 g
4062172270618	LFD600S -G2-824-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm^3	11640.00 g
4062172270632	LFD600S -G2-827-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm^3	11640.00 g
4062172270656	LFD600S -G2-830-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm^3	11640.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Logistical Data

4062172270694	LFD600S -G2-840-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172270731	LFD600S -G2-924-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172270755	LFD600S -G2-927-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172270779	LFD600S -G2-930-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172270816	LFD600S -G2-940-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172271097	LFD1000S -G2-824-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271110	LFD1000S -G2-827-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271134	LFD1000S -G2-830-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271172	LFD1000S -G2-840-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271233	LFD1000S -G2-927-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271257	LFD1000S -G2-930-04	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	9570.00 g
4062172271295	LFD1000S -G2-940-04	Shipping carton box 6	420 mm x 232 mm x 430 mm	41.90 dm³	9640.00 g
4052899581807	LFD400S -G1-830-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172001052	LFD400S -G1-835-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4052899581821	LFD400S -G1-840-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172007658	LFD400S -G1-850-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4052899581845	LFD400S -G1-865-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172025621	LFD400S -G1-924-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172025669	LFD400S -G1-935-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g
4062172025683	LFD400S -G1-940-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4062172025706	LFD400S -G1-965-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Logistical Data

4052899582064	LFD600S -G1-840-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4052899582088	LFD600S -G1-865-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4062172025829	LFD600S -G1-924-06	Shipping carton box 6	519 mm x 246 mm x 525 mm	67.03 dm³	13358.00 g
4062172025867	LFD600S -G1-935-06	Shipping carton box 6	420 mm x 246 mm x 430 mm	44.43 dm³	11640.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Accessories Optional

Product description	Accessory name	Accessory code
LFD400S -G2-824-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-824-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-824-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-824-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-824-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-824-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-824-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-824-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-824-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-827-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-827-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-827-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-827-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-827-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-827-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-827-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-827-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-827-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-830-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-830-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-830-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-830-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-830-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD400S -G2-830-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-830-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-830-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-830-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-840-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-840-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-840-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-840-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-840-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-840-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-840-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-840-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-840-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-924-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-924-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-924-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-924-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-924-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-924-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-924-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-924-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-924-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-927-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-927-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-927-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-927-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-927-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-927-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-927-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-927-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-927-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-930-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-930-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-930-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-930-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-930-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-930-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-930-10	FX-DCS -G1-ECS-KIT20	4052899452121

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD400S -G2-930-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-930-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G2-940-10	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G2-940-10	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G2-940-10	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G2-940-10	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G2-940-10	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G2-940-10	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G2-940-10	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G2-940-10	FX-DCS -G1-GL-25	4052899452244
LFD400S -G2-940-10	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-824-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-824-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-824-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-824-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-824-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-824-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-824-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-824-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-824-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-827-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-827-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-827-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-827-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-827-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-827-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-827-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-827-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-827-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-830-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-830-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-830-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-830-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-830-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-830-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-830-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-830-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-830-06	FX-LFDM -G1-TS-16H16-200	4052899544925

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD600S -G2-840-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-840-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-840-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-840-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-840-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-840-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-840-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-840-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-840-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-924-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-924-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-924-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-924-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-924-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-924-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-924-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-924-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-924-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-927-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-927-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-927-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-927-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-927-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-927-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-927-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-927-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-927-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-930-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-930-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G2-930-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-930-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-930-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-930-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-930-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-930-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-930-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G2-940-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G2-940-06	FX-LFDM -G1-BS-12H13	4052899452541

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD600S -G2-940-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G2-940-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G2-940-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G2-940-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G2-940-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G2-940-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G2-940-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-824-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-824-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-824-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-824-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-824-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-824-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-824-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-824-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-824-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-827-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-827-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-827-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-827-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-827-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-827-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-827-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-827-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-827-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-830-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-830-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-830-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-830-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-830-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-830-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-830-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-830-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-830-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-840-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-840-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-840-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-840-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD1000S -G2-840-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-840-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-840-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-840-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-840-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-927-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-927-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-927-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-927-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-927-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-927-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-927-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-927-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-927-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-930-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-930-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-930-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-930-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-930-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-930-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-930-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-930-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-930-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD1000S -G2-940-04	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD1000S -G2-940-04	FX-LFDM -G1-BS-12H13	4052899452541
LFD1000S -G2-940-04	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD1000S -G2-940-04	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD1000S -G2-940-04	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD1000S -G2-940-04	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD1000S -G2-940-04	FX-DCS -G1-ECS-KIT20	4052899452121
LFD1000S -G2-940-04	FX-DCS -G1-GL-25	4052899452244
LFD1000S -G2-940-04	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-830-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-830-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-830-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-830-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-830-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-830-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD400S -G1-830-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-830-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-830-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-835-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-835-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-835-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-835-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-835-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-835-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-835-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-835-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-835-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-840-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-840-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-840-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-840-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-840-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-840-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-840-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-840-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-840-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-850-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-850-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-850-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-850-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-850-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-850-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-850-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-850-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-850-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-865-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-865-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-865-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-865-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-865-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-865-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-865-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-865-06	FX-DCS -G1-GL-25	4052899452244

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD400S -G1-865-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-924-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-924-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-924-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-924-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-924-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-924-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-924-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-924-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-924-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-935-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-935-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-935-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-935-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-935-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-935-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-935-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-935-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-935-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-940-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-940-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-940-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-940-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-940-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-940-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-940-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-940-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-940-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD400S -G1-965-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD400S -G1-965-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD400S -G1-965-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD400S -G1-965-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD400S -G1-965-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD400S -G1-965-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD400S -G1-965-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD400S -G1-965-06	FX-DCS -G1-GL-25	4052899452244
LFD400S -G1-965-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G1-840-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

LFD600S -G1-840-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G1-840-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G1-840-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G1-840-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G1-840-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G1-840-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G1-840-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G1-840-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G1-865-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G1-865-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G1-865-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G1-865-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G1-865-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G1-865-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G1-865-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G1-865-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G1-865-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G1-924-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G1-924-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G1-924-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G1-924-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G1-924-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G1-924-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G1-924-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G1-924-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G1-924-06	FX-LFDM -G1-TS-16H16-200	4052899544925
LFD600S -G1-935-06	FX-LFDM -BEND-1000 KIT 3PCS	4062172192583
LFD600S -G1-935-06	FX-LFDM -G1-BS-12H13	4052899452541
LFD600S -G1-935-06	FX-LFDM -G1-BSL-12H13E9	4052899452572
LFD600S -G1-935-06	FX-DCS -G1-CM2PF-IP67-500-X5	4052899451971
LFD600S -G1-935-06	FX-DCS -G1-CM2PF-IP67-SIDEKIT5	4052899452015
LFD600S -G1-935-06	FX-DCS -G1-CM2PJ-IP67-0190-X5	4052899452039
LFD600S -G1-935-06	FX-DCS -G1-ECS-KIT20	4052899452121
LFD600S -G1-935-06	FX-DCS -G1-GL-25	4052899452244
LFD600S -G1-935-06	FX-LFDM -G1-TS-16H16-200	4052899544925

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.