

LED interior lights

LED app controlled styling lights




High brightness thanks to 90 LEDs per 1.5 m strip

Illuminate every corner of your car, commercial vehicle or caravan



White light with color temperature up to 4500 K

Interior lighting for the vehicle roof, loading area, trunk or other cabinet lighting application



Two flexible self-adhesive LED strips of 1.5 m

Easy to install with no soldering or use of screws



LED color changing products

Using the LEDambient INTERIOR STRIP KIT, you can illuminate the interior of your vehicle in line with your personal taste. The kit allows you to arrange the two flexible, white LED strips according to your individual preference. Whether it's the interior of a motorhome or a delivery truck, the LED light strips (each 1.5m long and with 90 LEDs) are perfect for cabin lighting, under-cabin lighting and other similar applications. The self-adhesive LED strips mean the LEDambient INTERIOR STRIP KIT is fast and easy to install – no need for soldering or screws. OSRAM provides a 2-year guarantee for this product. To read the exact guarantee conditions, please go to www.osram.com/am-guarantee. Please note: These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

Technical data

Product information

Order reference	LEDINT203
-----------------	-----------

Electrical data

Nominal wattage	1200 W
Nominal voltage	120 V

Photometrical data

Color temperature	4500 K
Luminous flux	900 lm/strip lm
Light color LED	White

Dimensions & weight



Product weight	12000 g
Length	15000 mm
Width	800 mm
Height	400 mm

Lifespan

Guarantee	2 years
-----------	---------

Additional product data

Connector to lamp	Wire Kit
-------------------	----------

Capabilities

Technology	LED
------------	-----

Product datasheet

Certificates & standards

Standards	CE
-----------	----

Country specific categorizations

Order reference	LEDINT203
-----------------	-----------

Logistical data

Commodity code	85122000900
----------------	-------------

Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4052899516670
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	34b4cbbb-a426-4198-bfd3-cb266e5801d8

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899516670	INTERIOR STRIP KIT	Folding carton box 1	179 mm x 64 mm x 175 mm	2.00 dm ³	209.00 g
4052899516687	INTERIOR STRIP KIT	Shipping carton box 2	134 mm x 187 mm x 190 mm	4.76 dm ³	558.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDambient INTERIOR STRIP KIT user manual

Legal advice

Detailed guarantee terms can be found at www.osram.com/am-guarantee.

Product datasheet

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

This product only works in combination with the respective base kit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM