

LINEARlight Rigid NICHE

Professional LED modules



Product family benefits

- Elegant appearance, soft lighting, super slim design
- Seamless connection hidden in the structure, homogeneous light
- Surface mounting with screws or magnets for easy installation
- Available in warm white and cool white
- Viewing angle per module: 120°
- Dimmable (with suitable PWM dimming methods)

Areas of application

- Interior lighting
- Show case and stock shelf lighting
- Retail and supermarkets
- Corridors and stairwells



Product family datasheet

Technical data

| Product description | Electrical data null | | | | Photometrical data null | | |
|--------------------------------|-------------------------|-----------------|---------------|---------------------|----------------------------|----------------------|--------------------------|
| | Nominal voltage | Type of current | Rated wattage | Input voltage range | Light color LED | Color temperature | Color rendering index Ra |
| LR700-SD-G1 827-01 0.9W 24VDC | 24.0 V | DC | 0.90 W | 23...25 V | White | 2700 K ¹⁾ | >80 |
| LR700-SD-G1 830-01 0.9W 24VDC | 24.0 V | DC | 0.90 W | 23...25 V | White | 3000 K ²⁾ | >80 |
| LR700-SD-G1 835-01 0.9W 24VDC | 24.0 V | DC | 0.90 W | 23...25 V | White | 3500 K ³⁾ | >80 |
| LR700-SD-G1 840-01 0.9W 24VDC | 24.0 V | DC | 0.90 W | 23...25 V | White | 4000 K ⁴⁾ | >80 |
| LR700-SD-G1 850-01 0.9W 24VDC | 24.0 V | DC | 0.90 W | 23...25 V | White | 5000 K ⁵⁾ | >80 |
| LR700-SD-G1 827-03 2.7W 24VDC | 24.0 V | DC | 2.70 W | 23...25 V | White | 2700 K ¹⁾ | >80 |
| LR700-SD-G1 830-03 2.7W 24VDC | 24.0 V | DC | 2.70 W | 23...25 V | White | 3000 K ²⁾ | >80 |
| LR700-SD-G1 835-03 2.7W 24VDC | 24.0 V | DC | 2.70 W | 23...25 V | White | 3500 K ³⁾ | >80 |
| LR700-SD-G1 840-03 2.7W 24VDC | 24.0 V | DC | 2.70 W | 23...25 V | White | 4000 K ⁴⁾ | >80 |
| LR700-SD-G1 827-06 5.9W 24VDC | 24.0 V | DC | 5.90 W | 23...25 V | White | 2700 K ¹⁾ | >80 |
| LR700-SD-G1 830-06 5.9W 24VDC | 24.0 V | DC | 5.90 W | 23...25 V | White | 3000 K ²⁾ | >80 |
| LR700-SD-G1 835-06 5.9W 24VDC | 24.0 V | DC | 5.90 W | 23...25 V | White | 3500 K ³⁾ | >80 |
| LR700-SD-G1 840-06 5.9W 24VDC | 24.0 V | DC | 5.90 W | 23...25 V | White | 4000 K ⁴⁾ | >80 |
| LR700-SD-G1 850-06 5.9W 24VDC | 24.0 V | DC | 5.90 W | 23...25 V | White | 5000 K ⁵⁾ | >80 |
| LR700-SD-G1 827-09 8.6W 24VDC | 24.0 V | DC | 8.60 W | 23...25 V | White | 2700 K ¹⁾ | >80 |
| LR700-SD-G1 830-09 8.6W 24VDC | 24.0 V | DC | 8.60 W | 23...25 V | White | 3000 K ²⁾ | >80 |
| LR700-SD-G1 835-09 8.6W 24VDC | 24.0 V | DC | 8.60 W | 23...25 V | White | 3500 K ³⁾ | >80 |
| LR700-SD-G1 840-09 8.6W 24VDC | 24.0 V | DC | 8.60 W | 23...25 V | White | 4000 K ⁴⁾ | >80 |
| LR700-SD-G1 827-12 11.7W 24VDC | 24.0 V | DC | 11.70 W | 23...25 V | White | 2700 K ¹⁾ | >80 |
| LR700-SD-G1 830-12 11.7W 24VDC | 24.0 V | DC | 11.70 W | 23...25 V | White | 3000 K ²⁾ | >80 |
| LR700-SD-G1 835-12 11.7W 24VDC | 24.0 V | DC | 11.70 W | 23...25 V | White | 3500 K ³⁾ | >80 |
| LR700-SD-G1 840-12 11.7W 24VDC | 24.0 V | DC | 11.70 W | 23...25 V | White | 4000 K ⁴⁾ | >80 |

| Product description | Light technical data null | | | | | |
|-------------------------------|------------------------------|-------------------|---------------------------|------------------------------------|---------------|---------------------|
| | Total useful luminous flux | Luminous efficacy | Light color (designation) | Rated beam angle (half peak value) | Starting time | Warm-up time (60 %) |
| LR700-SD-G1 827-01 0.9W 24VDC | 58 lm | 63.6 lm/W | White | 123.00 ° | < 0.5 s | 120.00 s |
| LR700-SD-G1 830-01 0.9W 24VDC | 61 lm | 66.9 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 835-01 0.9W 24VDC | 62 lm | 68 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 840-01 0.9W 24VDC | 65 lm | 71.3 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 850-01 0.9W 24VDC | 65 lm | 71.3 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 827-03 2.7W 24VDC | 174 lm | 60.3 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 830-03 2.7W 24VDC | 180 lm | 65.8 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 835-03 2.7W 24VDC | 180 lm | 65.8 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 840-03 2.7W 24VDC | 202 lm | 73.8 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 827-06 5.9W 24VDC | 396 lm | 66.5 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 830-06 5.9W 24VDC | 412 lm | 69.2 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |

Product family datasheet

| Product description | Total useful luminous flux | Luminous efficacy | Light color (designation) | Light technical data null | | |
|--------------------------------|----------------------------|-------------------|---------------------------|------------------------------------|---------------|---------------------|
| | | | | Rated beam angle (half peak value) | Starting time | Warm-up time (60 %) |
| LR700-SD-G1 835-06 5.9W 24VDC | 412 lm | 69.2 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 840-06 5.9W 24VDC | 436 lm | 73.3 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 850-06 5.9W 24VDC | 463 lm | 73.3 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 827-09 8.6W 24VDC | 595 lm | 68.9 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 830-09 8.6W 24VDC | 605 lm | 70 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 835-09 8.6W 24VDC | 605 lm | 70 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 840-09 8.6W 24VDC | 663 lm | 76.7 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 827-12 11.7W 24VDC | 813 lm | 68.4 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 830-12 11.7W 24VDC | 848 lm | 71.4 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 835-12 11.7W 24VDC | 848 lm | 71.4 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |
| LR700-SD-G1 840-12 11.7W 24VDC | 902 lm | 75.9 lm/W | White | 123.00 ° | < 0.5 s | < 0.50 s |

| Product description | LED module information null | Dimensions & weight null | | Colors & materials null | |
|--------------------------------|-----------------------------|--------------------------|----------------|-------------------------|---------------|
| | Number of LEDs per module | Length | Product weight | Cover material | Body material |
| LR700-SD-G1 827-01 0.9W 24VDC | 14 | 102.0 mm | 9.90 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 830-01 0.9W 24VDC | 14 | 102.0 mm | 9.90 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 835-01 0.9W 24VDC | 14 | 102.0 mm | 9.90 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 840-01 0.9W 24VDC | 14 | 102.0 mm | 9.90 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 850-01 0.9W 24VDC | 14 | 102.0 mm | 9.90 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 827-03 2.7W 24VDC | 42 | 285.0 mm | 23.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 830-03 2.7W 24VDC | 42 | 285.0 mm | 23.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 835-03 2.7W 24VDC | 42 | 284.0 mm | 23.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 840-03 2.7W 24VDC | 42 | 285.0 mm | 23.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 827-06 5.9W 24VDC | 91 | 603.0 mm | 44.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 830-06 5.9W 24VDC | 91 | 603.0 mm | 44.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 835-06 5.9W 24VDC | 91 | 603.0 mm | 44.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 840-06 5.9W 24VDC | 91 | 603.0 mm | 44.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 850-06 5.9W 24VDC | 91 | 603.0 mm | 44.80 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 827-09 8.6W 24VDC | 133 | 876.0 mm | 61.50 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 830-09 8.6W 24VDC | 133 | 876.0 mm | 61.50 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 835-09 8.6W 24VDC | 133 | 876.0 mm | 61.50 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 840-09 8.6W 24VDC | 133 | 876.0 mm | 61.50 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 827-12 11.7W 24VDC | 182 | 1195 mm | 89.20 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 830-12 11.7W 24VDC | 182 | 1195 mm | 89.20 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 835-12 11.7W 24VDC | 182 | 1194 mm | 89.20 g | Polycarbonate (PC) | Aluminum |
| LR700-SD-G1 840-12 11.7W 24VDC | 182 | 1195 mm | 89.20 g | Polycarbonate (PC) | Aluminum |

Product family datasheet

| Product description | Temperatures & operating conditions null | | | Certificates & standards null |
|-------------------------------|--|------------------------------|--|--|
| | Maximum temperature at tc test point | Temperature range at storage | Temperature range in operation at Tc point | Standards |
| LR700-SD-G1 827-01 0.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 830-01 0.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 835-01 0.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 840-01 0.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 850-01 0.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 827-03 2.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 830-03 2.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 835-03 2.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |

Product family datasheet

| Product description | Temperatures & operating conditions null | | | Certificates & standards null |
|-------------------------------|--|------------------------------|--|--|
| | Maximum temperature at tc test point | Temperature range at storage | Temperature range in operation at Tc point | Standards |
| LR700-SD-G1 840-03 2.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 827-06 5.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 830-06 5.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 835-06 5.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 840-06 5.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to IEC 60598-1/Acc. to EN 60529/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 850-06 5.9W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 827-09 8.6W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 830-09 8.6W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |

Product family datasheet

| Product description | Temperatures & operating conditions null | | | Certificates & standards null |
|--------------------------------|---|------------------------------------|---|--|
| | Maximum temperature at tc test point | Temperature range at storage | Temperature range in operation at Tc point | Standards |
| LR700-SD-G1 835-09 8.6W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 840-09 8.6W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 827-12 11.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 830-12 11.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 835-12 11.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |
| LR700-SD-G1 840-12 11.7W 24VDC | 70 °C | -20...65 °C | -20...70 °C | Acc. to IEC 62471/Acc. to EN 60529/Acc. to IEC 60598-1 (clause 15)/Acc. to EN 62031/Acc. to EN 55015/Acc. to EN 61547/CE |

| Product description | Logistical data null | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | |
|-------------------------------|-------------------------|---|----------------------------|------------------------------------|
| | Commodity code | Date of Declaration | Primary Article Identifier | Declaration No. in SCIP database |
| LR700-SD-G1 827-01 0.9W 24VDC | 940542319000 | 14-01-2022 | 4052899557314 | In work |
| LR700-SD-G1 830-01 0.9W 24VDC | 940542319000 | 23-12-2021 | 4052899557338 | No declarable substances contained |
| LR700-SD-G1 835-01 0.9W 24VDC | 940542319000 | 14-01-2022 | 4062172021418 | In work |
| LR700-SD-G1 840-01 0.9W 24VDC | 940542319000 | 23-12-2021 | 4052899557352 | No declarable substances contained |
| LR700-SD-G1 850-01 0.9W 24VDC | 940542319000 | 14-01-2022 | 4062172021432 | In work |

Product family datasheet

| Product description | Logistical data null | Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | |
|--------------------------------|----------------------|--|----------------------------|------------------------------------|
| | Commodity code | Date of Declaration | Primary Article Identifier | Declaration No. in SCIP database |
| LR700-SD-G1 827-03 2.7W 24VDC | 940542319000 | 23-12-2021 | 4052899557451 | No declarable substances contained |
| LR700-SD-G1 830-03 2.7W 24VDC | 940542319000 | 14-01-2022 | 4052899557475 | In work |
| LR700-SD-G1 835-03 2.7W 24VDC | 940542319000 | 14-01-2022 | 4062172021456 | In work |
| LR700-SD-G1 840-03 2.7W 24VDC | 940542319000 | 23-12-2021 | 4052899557499 | No declarable substances contained |
| LR700-SD-G1 827-06 5.9W 24VDC | 940542319000 | 23-12-2021 | 4052899557536 | No declarable substances contained |
| LR700-SD-G1 830-06 5.9W 24VDC | 940540399000 | 23-12-2021 | 4052899557550 | No declarable substances contained |
| LR700-SD-G1 835-06 5.9W 24VDC | 940542319000 | 14-01-2022 | 4062172021500 | In work |
| LR700-SD-G1 840-06 5.9W 24VDC | 940542319000 | 23-12-2021 | 4052899557574 | No declarable substances contained |
| LR700-SD-G1 850-06 5.9W 24VDC | 940542319000 | 14-01-2022 | 4062172021524 | In work |
| LR700-SD-G1 827-09 8.6W 24VDC | 940542319000 | 14-01-2022 | 4052899557611 | In work |
| LR700-SD-G1 830-09 8.6W 24VDC | 940542319000 | 23-12-2021 | 4052899557635 | No declarable substances contained |
| LR700-SD-G1 835-09 8.6W 24VDC | 940542319000 | 14-01-2022 | 4062172021548 | In work |
| LR700-SD-G1 840-09 8.6W 24VDC | 940542319000 | 23-12-2021 | 4052899557659 | No declarable substances contained |
| LR700-SD-G1 827-12 11.7W 24VDC | 940542319000 | 23-12-2021 | 4052899557697 | No declarable substances contained |
| LR700-SD-G1 830-12 11.7W 24VDC | 940540399000 | 23-12-2021 | 4052899557710 | No declarable substances contained |
| LR700-SD-G1 835-12 11.7W 24VDC | 940542319000 | 14-01-2022 | 4062172021586 | In work |
| LR700-SD-G1 840-12 11.7W 24VDC | 940542319000 | 23-12-2021 | 4052899557734 | No declarable substances contained |

| Product description | Candidate List Substance 1 | CAS No. of substance 1 |
|-------------------------------|------------------------------------|------------------------|
| LR700-SD-G1 827-01 0.9W 24VDC | | |
| LR700-SD-G1 830-01 0.9W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 835-01 0.9W 24VDC | | |
| LR700-SD-G1 840-01 0.9W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 850-01 0.9W 24VDC | | |
| LR700-SD-G1 827-03 2.7W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 830-03 2.7W 24VDC | | |
| LR700-SD-G1 835-03 2.7W 24VDC | | |
| LR700-SD-G1 840-03 2.7W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 827-06 5.9W 24VDC | No declarable substances contained | No CAS |

Product family datasheet

| Product description | Candidate List Substance 1 | CAS No. of substance 1 |
|--------------------------------|------------------------------------|------------------------|
| LR700-SD-G1 830-06 5.9W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 835-06 5.9W 24VDC | | |
| LR700-SD-G1 840-06 5.9W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 850-06 5.9W 24VDC | | |
| LR700-SD-G1 827-09 8.6W 24VDC | | |
| LR700-SD-G1 830-09 8.6W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 835-09 8.6W 24VDC | | |
| LR700-SD-G1 840-09 8.6W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 827-12 11.7W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 830-12 11.7W 24VDC | No declarable substances contained | No CAS |
| LR700-SD-G1 835-12 11.7W 24VDC | | |
| LR700-SD-G1 840-12 11.7W 24VDC | No declarable substances contained | No CAS |

1) Emitted CCT 2500K


2) Emitted CCT 2800K

3) Emitted CCT 3100K


4) Emitted CCT 3600K

5) Emitted CCT 4500K


Product family datasheet




LR700SD-G1-8xx-01




LR700SD-G1-8xx-03



LR700SD-G1-8xx-06



LR700SD-G1-8xx-09



LR700SD-G1-8xx-12

Product family datasheet

















Application advice

For more detailed application information and graphics please see product datasheet.


Sales and Technical Support

Sales and Technical Support www.osram.com

Download Data

| File | |
|---|--|
|  | User instruction LINEARlight Rigid NICHE |
|  | Product Datasheet LINEARlight Rigid NICHE specification sheet |
|  | Declarations of conformity Declaration of conformity LR700SD-G1 |
|  | CAD data LR700SD-G1-xxx-01 |
|  | Eulumdat Eulumdat LR700SD-G1-827-01 |
|  | Eulumdat Eulumdat LR700SD-G1-830-01 |
|  | Eulumdat Eulumdat LR700SD-G1-835-01 |
|  | Eulumdat Eulumdat LR700SD-G1-840-01 |
|  | Eulumdat Eulumdat LR700SD-G1-850-01 |
|  | CAD data LR700SD-G1-xxx-03 |
|  | Eulumdat Eulumdat LR700SD-G1-827-03 |
|  | Eulumdat Eulumdat LR700SD-G1-830-03 |
|  | Eulumdat Eulumdat LR700SD-G1-835-03 |
|  | Eulumdat Eulumdat LR700SD-G1-840-03 |
|  | CAD data LR700SD-G1-xxx-06 |
|  | Eulumdat Eulumdat LR700SD-G1-827-06 |

Product family datasheet

| | |
|---|--|
|  | Eulumdat Eulumdat LR700SD-G1-830-06 |
|  | Eulumdat Eulumdat LR700SD-G1-835-06 |
|  | Eulumdat Eulumdat LR700SD-G1-840-06 |
|  | Eulumdat Eulumdat LR700SD-G1-850-06 |
|  | CAD data LR700SD-G1-xxx-09 |
|  | Eulumdat Eulumdat LR700SD-G1-827-09 |
|  | Eulumdat Eulumdat LR700SD-G1-830-09 |
|  | Eulumdat Eulumdat LR700SD-G1-835-09 |
|  | Eulumdat Eulumdat LR700SD-G1-840-09 |
|  | CAD data LR700SD-G1-xxx-12 |
|  | Eulumdat Eulumdat LR700SD-G1-827-12 |
|  | Eulumdat Eulumdat LR700SD-G1-830-12 |
|  | Eulumdat Eulumdat LR700SD-G1-835-12 |
|  | Eulumdat Eulumdat LR700SD-G1-840-12 |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4052899557314 | LR700-SD-G1 827-01 0.9W 24VDC | Shipping carton box 200 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4292.00 g |
| 4052899557338 | LR700-SD-G1 830-01 0.9W 24VDC | Shipping carton box 200 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4292.00 g |
| 4062172021418 | LR700-SD-G1 835-01 0.9W 24VDC | Shipping carton box 200 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4292.00 g |
| 4052899557352 | LR700-SD-G1 840-01 0.9W 24VDC | Shipping carton box 200 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4292.00 g |
| 4062172021432 | LR700-SD-G1 850-01 0.9W 24VDC | Shipping carton box 200 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4292.00 g |

Product family datasheet

Logistical Data

| | | | | | |
|---------------|-----------------------------------|----------------------------|------------------------------|-----------------------|------------|
| 4052899557451 | LR700-SD-G1 827-03 2.7W 24VDC | Shipping carton box 100 | 360 mm x 200 mm x 140 mm | 10.08 dm ³ | 4915.00 g |
| 4052899557475 | LR700-SD-G1 830-03 2.7W 24VDC | Shipping carton box 100 | 360 mm x 200 mm x 140 mm | 10.08 dm ³ | 4915.00 g |
| 4062172021456 | LR700-SD-G1 835-03 2.7W 24VDC | Shipping carton box 100 | 320 mm x 200 mm x 140 mm | 8.96 dm ³ | 4915.00 g |
| 4052899557499 | LR700-SD-G1 840-03 2.7W 24VDC | Shipping carton box 100 | 360 mm x 200 mm x 140 mm | 10.08 dm ³ | 4915.00 g |
| 4052899557536 | LR700-SD-G1 827-06 5.9W 24VDC | Shipping carton box 100 | 660 mm x 200 mm x 140 mm | 18.48 dm ³ | 9191.00 g |
| 4052899557550 | LR700-SD-G1 830-06 5.9W 24VDC | Shipping carton box 100 | 660 mm x 200 mm x 140 mm | 18.48 dm ³ | 9191.00 g |
| 4062172021500 | LR700-SD-G1 835-06 5.9W 24VDC | Shipping carton box 100 | 660 mm x 200 mm x 140 mm | 18.48 dm ³ | 9191.00 g |
| 4052899557574 | LR700-SD-G1 840-06 5.9W 24VDC | Shipping carton box 100 | 660 mm x 200 mm x 140 mm | 18.48 dm ³ | 9191.00 g |
| 4062172021524 | LR700-SD-G1 850-06 5.9W 24VDC | Shipping carton box 100 | 660 mm x 200 mm x 140 mm | 18.48 dm ³ | 9191.00 g |
| 4052899557611 | LR700-SD-G1 827-09 8.6W 24VDC | Shipping carton box 100 | 940 mm x 200 mm x 140 mm | 26.32 dm ³ | 12926.00 g |
| 4052899557635 | LR700-SD-G1 830-09 8.6W 24VDC | Shipping carton box 100 | 940 mm x 200 mm x 140 mm | 26.32 dm ³ | 12926.00 g |
| 4062172021548 | LR700-SD-G1 835-09 8.6W 24VDC | Shipping carton box 100 | 940 mm x 200 mm x 140 mm | 26.32 dm ³ | 12926.00 g |
| 4052899557659 | LR700-SD-G1 840-09 8.6W 24VDC | Shipping carton box 100 | 940 mm x 200 mm x 140 mm | 26.32 dm ³ | 12926.00 g |
| 4052899557697 | LR700-SD-G1 827-12 11.7W 24VDC | Shipping carton box 100 | 1260 mm x 200 mm x 140 mm | 35.28 dm ³ | 17983.00 g |
| 4052899557710 | LR700-SD-G1 830-12 11.7W 24VDC | Shipping carton box 100 | 1260 mm x 200 mm x 140 mm | 35.28 dm ³ | 17983.00 g |
| 4062172021586 | LR700-SD-G1 835-12 11.7W 24VDC | Shipping carton box 100 | 1260 mm x 200 mm x 140 mm | 35.28 dm ³ | 17983.00 g |
| 4052899557734 | LR700-SD-G1 840-12 11.7W 24VDC | Shipping carton box 100 | 1260 mm x 200 mm x 140 mm | 35.28 dm ³ | 17983.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Accessories Optional

| Product description | Accessory name | Accessory code |
|----------------------------------|-------------------------------|----------------|
| LR700-SD-G1 827-01 0.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | 4062172027229 |

Product family datasheet

| | | | |
|----------------------------------|--------------------------------|---|---------------|
| LR700-SD-G1 827-01 0.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 827-01 0.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 827-01 0.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 827-01 0.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 830-01 0.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 830-01 0.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 830-01 0.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 830-01 0.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 830-01 0.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 835-01 0.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 835-01 0.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 835-01 0.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 835-01 0.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 835-01 0.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 840-01 0.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 840-01 0.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 840-01 0.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 840-01 0.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 840-01 0.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 850-01 0.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 850-01 0.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 850-01 0.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 850-01 0.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |

Product family datasheet

| | | | |
|----------------------------------|--------------------------------|---|---------------|
| LR700-SD-G1 850-01 0.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 827-03 2.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 827-03 2.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 827-03 2.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 827-03 2.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 827-03 2.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 830-03 2.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 830-03 2.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 830-03 2.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 830-03 2.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 830-03 2.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 835-03 2.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 835-03 2.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 835-03 2.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 835-03 2.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 835-03 2.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 840-03 2.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 840-03 2.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 840-03 2.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 840-03 2.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 840-03 2.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 827-06 5.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 827-06 5.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |

Product family datasheet

| | | | |
|----------------------------------|--------------------------------|---|---------------|
| LR700-SD-G1 827-06 5.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 827-06 5.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 827-06 5.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 830-06 5.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 830-06 5.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 830-06 5.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 830-06 5.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 830-06 5.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 835-06 5.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 835-06 5.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 835-06 5.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 835-06 5.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 835-06 5.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 840-06 5.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 840-06 5.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 840-06 5.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 840-06 5.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 840-06 5.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 850-06 5.9W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 850-06 5.9W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 850-06 5.9W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 850-06 5.9W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 850-06 5.9W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |

Product family datasheet

| | | | |
|-----------------------------------|--------------------------------|---|---------------|
| LR700-SD-G1 827-09 8.6W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 827-09 8.6W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 827-09 8.6W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 827-09 8.6W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 827-09 8.6W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 830-09 8.6W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 830-09 8.6W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 830-09 8.6W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 830-09 8.6W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 830-09 8.6W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 835-09 8.6W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 835-09 8.6W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 835-09 8.6W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 835-09 8.6W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 835-09 8.6W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 840-09 8.6W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 840-09 8.6W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 840-09 8.6W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 840-09 8.6W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 840-09 8.6W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 827-12 11.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 827-12 11.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 827-12 11.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |

Product family datasheet

| | | | |
|-----------------------------------|--------------------------------|---|---------------|
| LR700-SD-G1 827-12 11.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 827-12 11.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 830-12 11.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 830-12 11.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 830-12 11.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 830-12 11.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 830-12 11.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 835-12 11.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 835-12 11.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 835-12 11.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 835-12 11.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 835-12 11.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |
| LR700-SD-G1 840-12 11.7W 24VDC | LR700-SD-G1 -POWER CABLE 3000 | ▶ | 4062172027229 |
| LR700-SD-G1 840-12 11.7W 24VDC | LR700-SD-G1 -JUMPER CABLE 0300 | ▶ | 4062172027243 |
| LR700-SD-G1 840-12 11.7W 24VDC | LR700-SD-G1 -PLATE FOR MAGNET | ▶ | 4062172027267 |
| LR700-SD-G1 840-12 11.7W 24VDC | LR700-SD-G1 -CONNECTORS HOLDER | ▶ | 4062172027281 |
| LR700-SD-G1 840-12 11.7W 24VDC | LR700-SD-G1 -CLIP | ▶ | 4062172026918 |

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.