

# Product family datasheet

## PARATHOM DIM LED PIN G9

### Special LED lamps



- Atmospheric accent lighting throughout the home  
Shops, hotels and restaurants Foyers, offices Outdoor applications only in suitable luminaires

- Very long lifetime of up to 25,000 h Very low energy consumption Ideal for decorative and free-burning applications
- Product features LED alternative to high voltage halogen lamps Dimmable (with many common dimmers, see also [www.ledvance.com/dim](http://www.ledvance.com/dim)) Mercury-free lamps Product benefits Very long lifetime of up to 25,000 h Very low energy consumption Ideal for decorative and free-burning applications Areas of application Atmospheric accent lighting throughout the home Shops, hotels and restaurants Foyers, offices Outdoor applications only in suitable luminaires References / Links For further products and actual information concerning LED lamps see [www.ledvance.com/ledlamps](http://www.ledvance.com/ledlamps) For Guarantee see [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)



## Product family datasheet

### Technical data


Product description	Electrical data		Photometrical data			Light technical data	Dimensions & weight
	Nominal wattage	Nominal voltage	Nominal luminous flux	Rated color temperature	Light color (designation)	Starting time	Overall length
P DIM PIN 4.4 W/827 G9 <sup>1)</sup>	4.40 W	220...240 V	470 lm	2700 K	Warm White	< 0.5 s	59.0 mm
P DIM PIN 32 3.5 W/827 G9 <sup>1)</sup>	3.50 W	220...240 V	350 lm	2700 K	Warm White	< 0.5 s	58.0 mm

Product description	Lifespan				Additional product data	Capabilities	Certificates & standards
	Nominal lamp life time	Rated lamp life time	Number of switching cycles	Lumen maintenance at end of service life	Base (standard designation)	Dimmable	Energy efficiency class
P DIM PIN 4.4 W/827 G9 <sup>1)</sup>	25000 h	25000 h	100000	0.70	G9	Yes	A++
P DIM PIN 32 3.5 W/827 G9 <sup>1)</sup>	25000 h	25000 h	100000	0.70	G9	Yes	A++


Product description	Energy consumption	Country specific categorizations	
		Order reference	ILCOS
P DIM PIN 4.4 W/827 G9 <sup>1)</sup>	5 kWh/1000h	LEDPPIN40D 4,4W	
P DIM PIN 32 3.5 W/827 G9 <sup>1)</sup>	4 kWh/1000h	LEDPPIN32D CL 3	DRT/C-3,5/827-220-240-G9-20/58

<sup>1)</sup> All technical parameters apply to the entire lamp/Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

## Product family datasheet



P DIM PIN 4.4 W/827 G9



P DIM PIN 32 3.5 W/827 G9

### Application advice

For more detailed application information and graphics please see product datasheet.

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075271791	P DIM PIN 4.4 W/827 G9	Shipping carton box 20	150 mm x 122 mm x 77 mm	1.41 dm <sup>3</sup>	376.00 g
4058075811553	P DIM PIN 32 3.5 W/827 G9	Shipping carton box 20	150 mm x 122 mm x 77 mm	1.41 dm <sup>3</sup>	336.00 g

## Product family datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### References / Links

For further products and actual information concerning LED lamps see

▶ [www.osram.com/ledlamps](http://www.osram.com/ledlamps)

For Guarantee see

▶ [www.osram.com/guarantee](http://www.osram.com/guarantee)

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany