OSRAM

NIGHT BREAKER SILVER H11

Excellent performance-lifetime ratio





Up to 100% more brightness

More light allows to see farther and therefore react sooner compared to the minimum legal standard



Up to 130 m long beam

For better visibility



Excellent performance-lifetime ratio

For more light at a reasonable lifetime



The OSRAM performance halogen light with best lifetime

With NIGHT BREAKER SILVER, OSRAM offers a performance halogen automotive lamp with an optimized lifetime. OSRAM NIGHT BREAKER SILVER generates up to 100% more brightness compared to the minimum legal standard and a beam which is up to 130 meters long. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance and lifetime.

Product datasheet

Technical data

Product information

Order reference	64211NBS
Application (Category and Product specific)	Halogen headlight lamp

Electrical data


Power input	62 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1350 lm
Luminous flux tolerance	±10 %
Color temperature	3200 K

Dimensions & weight



Diameter	12.0 mm
Product weight	22.20 g
Length	67.0 mm

Lifespan

Lifespan B3	250 h
Lifespan Tc	450 h

Additional product data

Base (standard designation) PGJ19-2

Product datasheet

Capabilities

Certificates & standards

ECE category	H11
--------------	-----

Country specific categorizations

Order reference	64211NBS

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	06-03-2024		
Primary Article Identifier	4052899992818 4052899992795 4052899579149 4052899992665 4052899992856 4062172387699		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

Logistical Data

		•		•
Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
NIGHT BREAKER SILVER H11	Unpacked 1	- x - x -		3900.00 g
NIGHT BREAKER SILVER H11	Shipping carton box 140	345 mm x 255 mm x 240 mm	21.11 dm³	4215.00 g
NIGHT BREAKER SILVER H11	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm³	28.00 g
NIGHT BREAKER SILVER H11	Bundle 10	185 mm x 66 mm x 71 mm	0.87 dm³	283.00 g
NIGHT BREAKER SILVER H11	Shipping carton box 100	341 mm x 191 mm x 154 mm	10.03 dm ³	3021.00 g
NIGHT BREAKER SILVER H11	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm ³	136.00 g
NIGHT BREAKER SILVER H11	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm ³	767.00 g
	NIGHT BREAKER SILVER H11 NIGHT BREAKER SILVER H11	(Pieces/Unit) NIGHT BREAKER SILVER H11 NIGHT BREAKER Shipping carton box	NIGHT BREAKER SILVER H11 NIGHT BREAKER Shipping carton box 268 mm x 126 mm x	(Pieces/Unit) x width x height) NIGHT BREAKER SILVER H11 Unpacked 1 - x - x - NIGHT BREAKER SILVER H11 Shipping carton box 140 345 mm x 255 mm x 240 mm 21.11 dm³ NIGHT BREAKER SILVER H11 Folding carton box 1 33 mm x 37 mm x 71 mm 0.09 dm³ NIGHT BREAKER SILVER H11 Bundle 10 185 mm x 66 mm x 71 mm 0.87 dm³ NIGHT BREAKER SILVER H11 Shipping carton box 154 mm 341 mm x 191 mm x 154 mm 10.03 dm³ NIGHT BREAKER SILVER H11 Hard Cover Box 2 114 mm x 48 mm x 106 mm 0.58 dm³ NIGHT BREAKER SILVER H11 Shipping carton box 268 mm x 126 mm x 4.22 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Download Data

File



360 Degree Image NIGHT BREAKER SILVER H11

Legal advice

Light output compared to the minimum ECE 112 requirements.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















