


EHE 64626 HLX 100W 12V 30/CS 1/SKU



Product features and benefits

- Precise filament alignment with patented quartz pinch technology
- OSRAM HLX lamps provide 10% higher luminous efficacy over standard halogen
- Instant on and nearly constant luminous flux over the life of the lamp
- Dimmable

Areas of application

- Microscopy
- Laboratory & Analysis
- UV curing
- Fiber Illumination
- Surgical & Dental Overhead
- Club & Disco

Technical data

General product information

Product Number	54038
Product Name	EHE 64626 HLX 100W 12V 30/CS 1/SKU
Family Brand Name	XENOPHOT (HLX)
Application	Projector
LIF Code	A1/45
Product Remark	– s (Operating Position) = Vertical, base down

Electrical data

Nominal Wattage	100 W
Nominal Voltage	12 V
Type of Current	AC

Light technical data

Luminous Flux	3500 lm
Light Center Length - LCL (in)	0.702 in
Light Center Length - LCL (mm)	18 mm
Color Temperature	3450 K
Color Rendering Index	100
Average Rated Life	50 h


Physical attributes

Base	PG22
Maximum Overall Length (in)	1.872 in
Maximum Overall Length (mm)	48 mm
Length l (in)	1.872 in
Length l (mm)	48 mm
Diameter d (in)	0.472 in
Diameter d (mm)	12.00 mm
Distance a (in)	0.702 in
Distance a (mm)	18 mm
Filament Dimensions Length (in)	0.0900 in
Filament Dimensions Length (mm)	2.3 mm
Filament Dimensions Width (in)	0.164 in
Filament Dimensions Width (mm)	4.2 mm

Additional product data

Product datasheet

Operating Position	s 90
--------------------	------



Packaging Information

Product number	EAN/UPC	Packaging	Quantity	Outside dimensions l x w x h	Gross weight
54038	4050300006765	Folding box (SKU)	1	1 in x 0.9 in x 2.8 in	
54038	4050300236421	Shipping box (Case)	30	6.2 in x 5.2 in x 3.2 in	0.8 lb

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.