

# G30T8/OF 25/CS 1/SKU



#### Product features and benefits

- Effective and environment-friendly disinfection without chemicals
- High UV-C radiance at 254 nm
- Low mercury content
- Long lifetime due to special coating
- Ozone-free

## Areas of application

- Air
- Water Purification
- Surface Sterilization

## Product datasheet

#### Technical data

#### **General product information**

| Product Number             | 21080  |
|----------------------------|--|
| Product Name               | G30T8/OF 25/CS 1/SKU                             |
| mily Brand Name Germicidal |  |
| Application                | Air and water purification, surface disinfection |

#### **Electrical data**

| Nominal Wattage | 30 W   |
|-----------------|--------|
| Nominal Voltage | 96 V   |
| Current (A)     | 0.37 A |

## Light technical data

| Average Rated Life 8000 h |
|---------------------------|
|---------------------------|

#### **Physical attributes**

| Base                        | G13      |
|-----------------------------|----------|
| Bulb Shape                  | T26      |
| Maximum Overall Length (mm) | 908.8 mm |
| Length I (mm)               | 894 mm   |
| Diameter d (mm)             | 26 mm    |
| Distance a (mm)             | 824 mm   |

## Additional product data

#### Safety advice

To prevent possible serious injury, eyes and skin should not be exposed to direct or reflected ultraviolet light emitted by this lamp. This lamp is in Risk Group 3 per ANSI/IESNARP-27.3-96. Adequate protection should be provided by clothing, gloves, opaque materials, and ordinary window glass. Although this lamp will operate in standard fluorescent fixtures, it should not be used for general lighting applications.

#### **Packaging Information**

| Product number | EAN/UPC       | Packaging           | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 21080          | 4008321398888 | Sleeve (SKU)        | 1        | 35.9 in x 1.1 in x 1.1 in    | 0.4 lb       |
| 21080          | 4008321398895 | Shipping box (Case) | 10       | 36.5 in x 3.3 in x 5.7 in    | 4 lb         |
| 21080          | 4008321770301 | Sleeve (SKU)        | 1        | 35.6 in x 1.1 in x 1.1 in    | 0.3 lb       |

## Product datasheet

| Product number | EAN/UPC       | Packaging           | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 21080          | 4052899103368 | Shipping box (Case) | 25       | 36.6 in x 5.9 in x 6.1 in    | 9.3 lb       |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

OSRAM does not accept liability for errors, changes and omissions.

# Product datasheet

# HNS 30 W G13

PURITEC HNS Linear Lamps |

| Product name | Lamp group          |
|--------------|---------------------|
| HNS 30 W G13 | QTP-OPTIMAL 1x18-40 |