

# LEDDriving SL P13W

Ideal replacement for any vehicle



**High color temperatures of up to 6,000 K**  
Faster signals provide more reaction time for drivers behind you



**High brightness**  
Faster signals provide more reaction time for drivers behind you



**Replaces conventional P13W lamps**  
Upgrade to LED with simple plug & play replacement



### Suitable LED replacement for P13W

These LEDDriving SL retrofit lamps were specially developed for a suitable replacement of conventional P13W lamp types. Perfect for a multitude of applications, OSRAM LEDDriving SL illuminate vehicle exteriors with high color temperatures of up to 6,000 K. Thanks to their homogeneous light distribution, illumination is non-selective. OSRAM LED retrofits come with easy plug-and-play replacement, long life spans, low energy consumption – and 100% more style. OSRAM provides a 4-year guarantee for this product. For precise guarantee conditions please refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee). Please note: These products are not ECE-approved and must not be used on public roads in any exterior application. Use on public roads will invalidate both the operating license and insurance coverage. Some countries prohibit the sale and use of these products. Please contact your local distributor for information on your country.

## Product family datasheet

### Technical data

Product description	Product information			Electrical data		
	Application (Category and Product specific)	Product type (off-road vs. on-road)	Order reference	Power input	Nominal voltage	Nominal wattage
LEDiving STANDARD $\triangleq$ P13W	Mainly used for daytime running light applications	Off-road $\triangleq$ P13W	3828CW	1.98 W	12.0 V	1.80 W

Product description	Test voltage	Photometrical data		Dimensions & weight	Lifespan	
		Luminous flux	Luminous flux tolerance	Diameter	Lifespan B3	Lifespan Tc
LEDiving STANDARD $\triangleq$ P13W	13.5 V	130 lm	$\pm 15\%$	23.0 mm	1500 h	4000 h

Product description	Additional product data	Capabilities	Certificates & standards
	Base (standard designation)	Technology	ECE category
LEDiving STANDARD $\triangleq$ P13W	PG18.5D-1	LED	

## Product family datasheet

---

### Download Data

File	
	Brochures Sales Folder LEDriving replacement lamps (EN)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

**OSRAM**