Product family datasheet

BATTERYjumpstart 500



Starts completely depleted batteries
New Boost function allows user to restart vehicles with depleted batteries

Powerful Lithium Battery
Starts up to 3-liter petrol and 1.5-liter diesel vehicles

USB Power Pack
Charges phones and other devices via the built in USB port

Powerful and safe jumpstarting for 12V vehicles with integrated USB charging and enhanced safety features

The OSRAM BATTERYjumpstart 500 can jump-start vehicles with engines up to 3L Petrol or 1.5L Diesel. It's suitable for most 12V cars, vans, SUVs, and LCVs. The boost function enables jump-starting of completely depleted batteries. The unique ergonomic smart clamp connection features longer cables for better accessibility in hard-to-reach areas. Safety features include reverse polarity protection, anti-spike protection, and short circuit protection, with audible and LED indicators. An integrated torch illuminates the work area, and LED indicators show the current battery level. The unit includes a USB-C port for recharging and a USB-A output for charging devices like tablets and phones.

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Electrical Data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	**Boost-Function (start batteries from 0V)**	**Candidate list substance 1**	**CAS No. of substance 1**	**Safe use instruction**
BATTERYjumpstart 500	Yes	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.

Product description	**Declaration no. in SCIP database**
BATTERYjumpstart 500	d36d90e1-ac19-4777-a9de-b52f99e724e1

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Download Data

	File
	User instruction BATTERYjumpstart 500/1000 Lithium Starter
	User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.