

## LEDDriving Curved Lightbar VX1000-CB SR SM



**Single mount certified**  
For individual installation



**Up to 525 m long beam**  
Improved view and visibility in low light conditions



**Combo beam**  
Designed for both: far-field and near-field illumination



**Curved design**  
Complements the vehicle's contours giving it a sleek and modern look



### Illuminate your path with precision and style

Experience the ultimate lighting solution with our LEDDriving Curved Lightbar VX1000-CB SR SM, specifically designed to provide both far-field and near-field illumination. With an impressive power level of 7650 effective lumens and 36 high-performance OSRAM LEDs, this lightbar ensures exceptional visibility up to 525 meters. The stylish curved design complements the contours of your vehicle, giving it a sleek and modern look. Even in dim light and reduced visibility due to external environmental influences, the OSRAM Curved Lightbar with up to 6000 Kelvin can provide conditions similar to daylight. In addition, it is certified for single mounting (2x ECE R149), offers the highest protection classes (IP6K8 & IP6K9K) and features a robust aluminum die-cast housing with a slim, single-row design. The included brackets allow for versatile mounting options on various parts of the vehicle, including curved surfaces like bumpers, grills, and windshields<sup>1)</sup>. With a 2-year OSRAM guarantee<sup>2)</sup>, this lightbar delivers proven quality and enhanced visibility at an economical price. Discover the perfect combination of performance, design, and versatility with our Curved Lightbar – ideal for those who value top quality and stylish design.



## Fiche de données gamme de produits

### Fiche technique

Description produit	Données électriques		Données photométriques	Durée de vie	Certificats & Normes
	Puissance nominale	Tension d'essai	Flux lumineux	Durée de vie Tc	ECE reference number
LEDiving Curved Lichtbar VX100-CB SR-SM	108 W	13,2 V	10100 lm	> 5000 hr	30 + 30

Description produit	Informations environnementales et réglementaires Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Liste des substances candidate Substance 1	N° CAS de la substance 1	Instruction d'utilisation sûre	Numéro de déclaration dans la base de données SCIP
LEDiving Curved Lichtbar VX100-CB SR-SM	Lead	7439-92-1	L'identification de la substance de la liste candidate est suffisante pour permettre une utilisation sûre de l'article..	e67db80d-3aab-4539-83ac-000750ed7092

### Données de téléchargement

Dossier	
	User instruction LEDriving LEDDL135 Curved Lightbar VX1000-CB SR SM C
	User instruction GPRS_Instructions sur les symboles de sécurité

#### Consignes de sécurité

Pour obtenir des informations d'application détaillées, veuillez consulter la fiche technique du produit et le manuel d'utilisation

#### Informations légales

1) OSRAM LEDriving Driving Lights are approved according to ECE regulations and may therefore be installed and operated on public roads. Please note: Special installation regulations apply. In addition to ECE approval of the product, individual special requirements and legislation of the countries must be observed. 2) Pour les conditions précises, veuillez consulter : [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Conseil d'application

Pour plus d'informations sur les applications et les graphiques, veuillez vous référer à la fiche de données produit.

#### Avertissement

Sous réserve de modifications. Sauf erreur ou omission. Veuillez à toujours utiliser la version la plus récente.