

# Lightbar FX500-CB SM

Higher luminosity guarantees improved safety on the road



**Central and individual installation**

Individual installation is possible thanks to twofold ECE certification



**Lighting distance up to 440 meters**

Improved far and near field illumination



**Combo Beam**

Combined beam of light



**LED auxiliary lights enhance driving pleasure**

Improved far field illumination on dark rural and dirt roads – it’s no problem for the LEDriving Lightbar FX500-CB. Its 20 intense, high-performance LEDs give the LED high beam a light distance up to 440 meters and ensure improved road safety for drivers. Even at dusk or in compromised lighting conditions, the LED bars for automobiles provide daylight conditions at a strong 6000 Kelvin without needlessly blinding oncoming traffic. The intelligent reflector design diverts the light from the LEDs so that oncoming traffic is only indirectly exposed to the light. The light is evenly distributed at a five degree angle. Robust, durable and versatile. Whether used as a LED working light or as an auxiliary high beam for the car – the powerful performance and long life of the LEDriving Lightbar FX500-CB make it a compelling choice. Equipped for a wide range of uses, it defies environmental factors and is particularly robust thanks to the quality craftsmanship of its materials and hard-wearing polycarbonate lens. The integrated driver and thermal management system regulates the temperature of the LED automotive headlight and prevents damage caused by overheating. Full polarity protection ensures the LEDs are automatically shut off in the event of excess voltage. Brightness for a wide range of uses. The LEDriving Lightbar FX500-CB is pure pleasure both on and off-road. The ECE-compliant LED auxiliary light ensures better visibility and thus improved safety on roads. In addition, it adds a smart touch that enhances the off-road style of the vehicle. The LED headlight can be mounted on 12V vehicles as well as agricultural machines, utility vehicles, recreational, off-road and 4x4 vehicles. The power package with an intense 5500 lumen brightness scores with the highest optical efficiency and homogeneous light distribution with reduced glare.

## Product family datasheet

---



### Technical data

	Product information	Electrical data	Logistical data
Product description	Order reference	Nominal wattage	Commodity code
LEDriving FX	LEDDL104-CB SM	70.00 W	851220009000

## Product family datasheet

---

### Download Data

File	
	User instruction LEDriving
	Movie application LEDriving driving & working lights in application (EN)

#### Legal advice

Single mounting – installation in pairs is not necessary, two certified light sources

Precise terms and conditions at: [www.osram.com/guarantee](http://www.osram.com/guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM